

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/689/2020-21

Date:05-03-2021

856

Permission for laying of Optical Fiber Cable

To,

M/s. Bharti Airtel Limited Circle office, #55 Divya Shree towers, Bannerghatta Main Road Bangalore-560029.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

Ref: 1) MOU of M/s. Bharti Airtel Limited, Dated: 28-03-2014

- 2) M/s. Bharti Airtel Limited online application Dated: 22-01-2021.
- 3) Opinion obtained in **Online** from Assistant Executive Engineer –Byatarayanapura Sub division **Yelahanka Zone** on Dated: **15-02-2021**
- 4) Approved by Chief Engineer (OFC-Cell) on Dated: 15-02-2021 (Online).
- 5) Fee Demand Note letter No: 05-2021-689, Date: 16-02-2021.
- 6) Fee Paid by M/s. Bharti Airtel Limited DD submitted letter Dated: 01-03-2021.

Sl	Name of the Road and Route	Length in
No		Mtr
01	Permission for laying of OFC by HDD Method from 1st Main Road via 9th Cross Road	49.06 M
	for a length of 49.06 Mtr.	
02	From 1st Main Road via 8th Cross Road for a length of 46.87 Mtr.	46.87 M
03	From 1st Main Road via 7th Cross Road for a length of 43.42 Mtr.	43.42 M
04	From 1st Main Road via 6th Cross Road for a length of 39.88 Mtr.	39.88 M
05	From 1st Main Road via 5th Cross Road for a length of 35.10 Mtr.	35.10 M
06	From 1st Main Road via 4th Cross Road for a length of 27.95 Mtr.	27.95 M
07	From 1st Main Road via 3rd Cross Road for a length of 34.96 Mtr.	34.96 M
08	From 1st Main Road via 2nd Cross Road for a length of 29.59 Mtr.	29.59 M
09	From the junction of 1st Cross Road via 1st Main Road up to Thanisandra Main Road	106.23 M
09	for a length of 106.23 Mtr.	100.20 171
10	From 2 nd Main Road via 3 rd Cross Road for a length of 72.25 Mtr.	72.25 M
11	From 2 nd Main Road via 4 th Cross Road for a length of 60.09 Mtr.	60.09 M
	From 7th Cross Road via 3rd Main Road up to 8th Cross, No of Pits-04, No of	
12	Manhole-03 and No of Ducts 3, in Ward No: 06, Yelahanka Zone. Ref:	54.57 M
	As per drawing enclosed.	
	Total	599.97 M

No: EE/OFC/PR/689/2020-21, Dt: 05-03-2021

,, ~, ,

₩¥ . . .

The work shall be strictly taken up and completed between $\underline{05\text{-}03\text{-}2021}$ to $\underline{04\text{-}05\text{-}2021}$ and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

No: EE/OFC/PR/689/2020-21, Dt: 05-03-2021

xecutive Engineer (OFC), BBMP

- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.


xecutive Engineer OF

No: EE/OFC/PR/689/2020-21, Dt: 05-03-2021

Copy to:-

- 1. Copy to the Zonal Additional/Joint Commissioner (Yelahanka Zone) for information.
- 2. Copy to Zonal Chief Engineer (Yelahanka Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 3. Copy to the Chief Engineer (Road Infrastructure) for information.
- 4. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
- 5. Copy to the Concerned Assistant Executive Engineer of (**Byatarayanapura** Sub Division) for information.
- 6. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.

7. Office Copy



Executive Engineer (

No: EE/OFC/PR/689/2020-21, Dt: 05-03-2021

Bruhat Bengaluru Mahanagara Palike



Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

Receipt (General Purpose) [para 22(1)]

Receipt Number: RE-ifms665-Ofc / 000157

DDO

: ddo665 Executive Engineer OFC Cable and Rain Water

Harvesting Cell Central Zone

Receipt Date

: 08-Mar-2021

Ward

: 006 Thanisandra

Reference

: EE/OFC/PR/689/2020-21 /

Credited

: Canara Bank, Bangalore City Corpn. E.C. (Cor)

16-Feb-2021

to

(CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 532407.00 (Five Lakh Thirty Two Thousand Four Hundred Seven) from

Sri/Smt M/s. Bharti Airtel Limited

Circle office, #55 Divya shree towers, Bannerghatta main road Bangalore

Bengaluru 560029


towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		29998.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)	i se	77996.00	
3	R0008 Misc. Deposits (RCM)		4434.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	359982.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	59997.00	
		Total	532407	

Amount received as:

SI No	Туре	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Hdfc Bank Ltd., Hdfc Bank Ltd. (Hdf)	710025	24-Feb-2021	502409.00
2	DD	Hdfc Bank Ltd., Hdfc Bank Ltd. (Hdf)	710561	25-Feb-2021	29998.00
	532407				

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone



bharti airtel limited circle office

circle office #55, divyasree towers, bannerghatta main road, bangalore - 560 029 www.airtel.in call +91 80 41218060 fax +91 80 41218070



Ref No 04-2021-689

Date-01.03.2021

To,

Executive Engineer CE OFC
Bruhat Bengaluru Mahanagar Palike,
2nd floor, Annex 2nd Building, N R Square
Bengaluru

Sir,

Sub: - Permission to lay the OFC / Copper Cables by HDD Method in below mentioned areas.

Ref:- Your Demand Note bearing Application No. CE-OFC-04-2021-689, you have issued a demand note as per our applications , as per issued demand by BBMP we hereby submitting DD`s , hence request you please issue the permission to start the work.

Application No.	Segment ID	Length	L+S=Total	Refundable Rs Security Deposit	(1+2+3+4+5	L+S DD NO	SD DD NO
CE-OFC-04- 2021-689	2021-22/Z7- 7/W6-1/689	599.97	502408.88	29998.50	532407.38	710025	710561

Yours Faith fully

Thanking You

For Bharti Airtel Ltd

(Authorized Signatory)

Kumar Patil 9900090402

Dist.

CE stary black

8

BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.:04-2021-689

PR Number(To be Assigned by AE/JE- CE-OFC-04-2021-689 OFC, BBMP)

General Information

Segment ID

2021-22/Z7-7/W6-1/689

Street ID

NA

6

Street Name NA

Zone

Yelahanka

Ward No.

Ward Name Thanisandra

Service Provider Category

Telecom

Organization

M/s Bharti Airtel Limited

Year of Incorporation

2009-10

Registered Office Address

Bharti Airtel Limited #55, Divyasree Towers, Bannergatta Main Road Bangalore

Pin Code 560029

Official Phone No. 08041218060

Previous Relevant Exp.

10

0804121806

Official Phone No. www.airtel.com

Penalized Details

No

Vat Reg No.

GST

29AAACB2894G1ZJ

Turnover for Last 3 Years

100000000

TAN RTKB03826E

20/01/2021

Name of the Authorized Person

Kumar Patil

Designation

Manager

Email ID

kumara.patil@airtel.com

Application Submission Date

Local Address

Bharti Airtel Limited #55, Divyasree Towers, Bannergatta Main Road Bangalore

Purpose ofc laying Phone No. 08041218060

Mobile No.

Attachments

9900090402

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map) Laying Method

HDD

Likely Date of Commencement


Total Length (m)

No. of Cables

No.of Ducts

No. of Manhole

3



Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years Yes Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. Yes

Security deposit will be refunded after 2 years, after field verification from BBMP

Yes

BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years Yes

Status of My Application

Status of My Application					
Approver Name	Designation	Date			
ceofc01(ceofc01)	CE	22/01/2021			
aey601(aey601)	AE	25/01/2021			
aeey02(aeey02)	AEE	15/02/2021			
ceofc01(ceofc01)	CE	15/02/2021			
ceofc01(ceofc01)	CE	16/02/2021			

20210226080855 Date: 26/02/2021 Time: 08:08:55

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-689 Date: 16/02/2021

Demand Notice

GST No.: 29AAALBI608FIZK

To

Kumar Patil

M/s Bharti Airtel Limited

GST No.: 29AAACB2894G1ZJ

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s Bharti Airtel Limited, Dated (28/03/2014). 2)Your request letter No.: 04-2021-689, dated: 20/01/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 599.97 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-2021-22/Z7-7/W6-1/689)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	72.25	W1100	w1743	13.044477- 77.625280	13.045099- 77.625473	w1745
2	60.09	W1100	W1739	13.044597- 77.624905	13.045109- 77.625082	W1739
3	106.23	W1098	W1751	13.045914- 77.626535	13.045716- 77.626922	W1751
4	29.59	W1098	W1747	13.046019- 77.626181	13.045768- 77.626090	W1747
5	34.96	W1098	W1743	13.046139- 77.625859	13.045846- 77.625741	W1743
6	27.95	W1739	W1739	13.046228- 77.625484	13.045993- 77.625393	W1739
7	49.06	W1098	W1717	13.046850- 77.623633	13.046432- 77.623488	W1717

8	46.87	W1098	W1719	13.046745- 77.624035	13.046348- 77.623891	W1721
9	43.42	W1098	W1723	13.046594- 77.624422	13.046217- 77.624314	W1723
10	39.88	W1098	W1725	13.046479- 77.624808	13.046139- 77.624690	W1725
11	35.1	W1098	W1731	13.046358- 77.625162	13.046061- 77.625055	W1731
12	54.57	W1106	W1723	13.043327- 77.622850	13.043223- 77.623161	W1721



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 599.97 Mtrs.

Laying Charge @ 600/- Mtr	3,59,982.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	77,996.10
Supervision Charge @ 100/- Mtr	59,997.00	Cess Amount @ 7.39/- Mtr	4,433.78
Sub Total (A)	4,19,979.00	Security Deposit @ Rs.50/- Mtr	29,998.50
GST @ 18% (B)	75,596.22	Total (C)	1,12,428.00
Grand Total (A + B + C)	6,08,003.00	*	

Total Amount Payable Rs: 6,08,003.00 in words (Rupees SIX HUNDRED AND EIGHT THOUSAND AND THREE Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving

traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to No.: 04-2021-689

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.



Cash Management Services - Payments

- MAIL TO -

COMMISSIONER BBMP BANGALORE

THE COMMISSIONER, BANGALORE MAHANAGAR PALIKE BANGALORE, KARNATAKA

BANGALORE

26; - 689 - lugi -

BY ORDER OF —

Bharti Airtel Limited Airtel Center of Excellence, Airtel Center, Gurgaon - 122002

710025

Bene Code:

Customer Ref No: 204380608

Inv. No.	Inv. Date	Description		Amt.Paid
CE-0FC-04-2021-689	16/02/2021		502408.88 mg/	.502408.88
		A STATE OF THE STA		



Cash Management Services - Payments

MAIL TO —

COMMISSIONER BBMP BANGALORE

262-653

BY ORDER OF -

TELESONIC NETWORKS LIMITED

A-27,2nd FLOOR, SIGMA TOWERS,
SEC-34,INFOCITY,
GURGAON -122001

Instrument Date: 25/02/2021

Instrument No.: 710561

Amount Rs.*****29,998.50

66410018783 357756

Client Ref No.

66410018783

Cash Management Services - Payments

MAIL TO -

COMMISSIONER BBMP BANGALORE

THE COMMISSIONER, BANGALORE MAHANAGAR PALIKE BANGALORE, KARNATAKA

BANGALORE

BY ORDER OF -

Bharti Airtel Limited Airtel Center of Excellence. Airtel Center, Gurgaon - 122002

267-683- Cuys-

710025

Bene Code:

Customer Ref No: 204380608

Inv. No.	Inv. Date	Description	Inv. Amt.	Amt.Paid
CE-0FC-04-2021-689	16/02/2021		502408.88	502408.88
				3

HDFC BANK

PAYINST DRAFT

VALID FOR THREE MONTHS FROM THE DATE OF ISSUE

4 0 2 2 0

COMMISSIONER BEMPBANGALORE

ON DEMAND PAYER SINCE SERVICE BUTTONS

FIVE LAKHTWO THOUSAND FOUR HUNDRED EIGHT AND Paise RUREES EIGHT EIGHT ONLY TO BE THOUSAND FOUR HUNDRED EIGHT AND PAISE

OR ORDER ****5,02,408.88

FOR HDFC BANK LTD.

- HDFC BANK

Cash Management Services - Payments

MAIL TO -

COMMISSIONER BBMP BANGALORE

262-63

BY ORDER OF -

TELESONIC NETWORKS LIMITED A-27,2nd FLOOR, SIGMA TOWERS, SEC-34, INFOCITY, GURGAON -122001

Instrument Date: 25/02/2021

Instrument No.: 710561

Amount Rs.*****29,998.50

66410018783 357756

Client Ref No.

HDFC BANK

66410018783

PAYINST DRAFT

VALID FOR THREE MONTHS FROM THE DATE OF ISSUE

2 2

COMMISSIONER BEMPBANGALORE COMMISSIONER BENEVALURA COMMISSIONER COMMISSIONER COMMISSIONER COMMISSIONER COMMISSIONER COMMISSIONER COMMISSIO

OR ORDER *****29,998.50

FOR HDFC BANK LTD.

PURCHASER TELESONIC NETWORKS LIMITED COMPANY Payable at Parat all Clearing Branches

Payable at Parat all Clearing Branches

Of Hote Bank Ltd. In India Company Branches

LDRAWEE BRANCH 19561 ISSUING BRANCH

AUTHORISED SIGNATORIES

