



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/910/2020-21

Date: 02-03-2021

840

**Permission for laying of Optical Fiber Cable**

To,

M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for laying of O F C by HDD Method-regarding

**Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 27-01-2021.

3) Opinion obtained in **Online** from Assistant Executive Engineer –Maruthi Seva Nagara sub division, **East Zone** on Dated: 10-02-2021

4) Approved by Chief Engineer (OFC-Cell) on Dated: 10-02-2021 (**Online**).

5) Fee Demand Note letter No: 05-2021-910, Date: 11-02-2021.

6) Fee Paid by M/s. Jio Digital Fibre Private Limited DD submitted letter Dated:02-03-2021

| Sl No | Name of the Road and Route  | Length in Mtr    |
|-------|---|------------------|
| 01    | Permission for laying of OFC by HDD Method from Wheeler extension Road via Street ID No-W0018 up to Road end.   | 206.21 M         |
| 02    | From Wheeler extension Road via 2 <sup>nd</sup> Cross Road up to Road end.  | 313.23 M         |
| 03    | From Wheeler extension Road via 3 <sup>rd</sup> Cross Road, Street ID No-W0065 up to 2 <sup>nd</sup> Cross Street.  | 254.82 M         |
| 04    | From Wheeler extension Road via Street ID No-W0026 up to W0065.   | 99.52 M          |
| 05    | From Wheeler extension Road via Street ID No-W0030 up to W0065.   | 79.22 M          |
| 06    | From Wheeler extension Road via 2 <sup>nd</sup> Cross Street, North Road up to Ashoka Road.   | 364.25 M         |
| 07    | From Hutachins Main Road via Ashoka Road up to Davis Main Road.   | 375.20 M         |
| 08    | From Davis Main Road via Street ID No-W0025 up to end.  | 57.20 M          |
| 09    | From Davis Main Road via Street ID No-W0027 for a length of 72.38Mtr.   | 72.38 M          |
| 10    | From Street ID No-W0075 via W0036 up to end. No of Pits-05, No of Manhole-20 and No of Ducts 3, in Ward No-59, East Zone<br>Ref: As per drawing enclosed, | 130.85 M         |
|       | <b>Total</b>  | <b>1952.88 M</b> |

The work shall be strictly taken up and completed between **02-03-2021** to **01-05-2021** and in line with conditions cited below:

No: EE/OFC/PR/910/2020-21, Dt: 02-03-2021

Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for HDD Method OFC laying**

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCO / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

**Copy to:-**

1. Copy to the Zonal Additional/Joint Commissioner (East Zone) for information.
2. Copy to Zonal Chief Engineer (East Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
3. Copy to the Chief Engineer (Road Infrastructure) for information.
4. Copy to the Concerned Executive Engineer of (Sarvagna Nagara Division) for information.
5. Copy to the Concerned Assistant Executive Engineer of (Maruthi Seva Nagara Sub Division) for information.
6. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
7. Office Copy


☰ **BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)**

BABU.VEERABHADRE@RIIL.COM

📌 My Application

**OFC Details**

04-2021-910




*[Handwritten Signature]*

Assistant Executive Engineer  
OFC CELL  
Bruhat Bangaluru Mahanagra Palike  
Bangaluru

*[Handwritten Signature]*

Executive Engineer  
OFC CELL  
Bruhat Bangaluru Mahanagra Palike  
Bangaluru

04-2021 - 910 5:0 Day

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCL Extension

दिनांक/ Date 02032021

SB/CA/OD/CC/RD/FL/DL A/c. No. / Credit Card No.

बचत / बाल बचत / निधि / सीवी / आरडी / टाएल / हीएल खाता नं. / क्रेडिट कार्ड नं.  
8409132000010

नाम/Name Comm/Lineet RBMP

टेलिफोन / मोबाइल नं.  
Tel No. / Mobile No. 8888888888 ₹ पै/P.

राशि / Amount ₹ 32,966.00/-

राशि शब्दों में Seventeen lakh Thirty Two  
Rupees in words Thousand Nine hundred Sixty Six

| चेक नं. / दिनांक तथा बैंक व शाखा का नाम<br>Cheque No./Date / Name of Bank & Branch | ₹                   | पै/P.       |
|--|---------------------|-------------|
| <u>191127 Az:Sat:24/02</u>   | <u>16,85,322.00</u> | <u>00/-</u> |
| <u>191131 Az:Sat:24/02</u>   | <u>97,644.00</u>    | <u>00/-</u> |
| <b>कुल/Total</b>   | <b>17,82,966.00</b> | <b>00/-</b> |

**Executive Engineer**

अधिकारी / रोकाडिंग ऑफिसर  
अधिकारी / रोकाडिंग ऑफिसर  
Canara Bank Toll Free No.

एम्स इन्चार्ज ऑफ  
Bombar/Bangaru Mahabharate  
Cashier/SAO

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-910 /DD

Date: 02-03-2021

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub:** *Permission to lay the OFC by HDD method.*

**Ref:** *Demand Note* CE-OFC-04-2021-910

With reference to your Demand Note bearing CE-OFC-04-2021-910, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR1453 by HDD method:

| Application No. | Length in Mtr. | No. of Ducts | Laying & Supervision Charges (Rs.) | DD No. for Laying & Supervision | Security Deposit (Rs.) | DD No. for Security Deposit   | GST (through RCM) Rs. |
|-----------------|----------------|--------------|------------------------------------|---------------------------------|------------------------|-------------------------------|-----------------------|
| 04-2021-910     | 1952.88        | 3            | 1635322                            | 191127<br>Dated<br>24-02-21     | 97644                  | 191131<br>Dated :<br>24-02-21 | 246063                |

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



OC

## JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-910 /DD

Date 02-03-2021

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note** CE-OFC-04-2021-910

With reference to your Demand Note bearing CE-OFC-04-2021-910, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR1453 by HDD method:

| Application No. | Length in Mtr. | No. of Ducts | Laying & Supervision Charges (Rs.) | DD No. for Laying & Supervision | Security Deposit (Rs.) | DD No. for Security Deposit   | GST (through RCM) Rs. |
|-----------------|----------------|--------------|------------------------------------|---------------------------------|------------------------|-------------------------------|-----------------------|
| 04-2021-910     | 1952.88        | 3            | 1635322                            | 191127<br>Dated<br>24-02-21     | 97644                  | 191131<br>Dated :<br>24-02-21 | 246063                |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





63910

MAIL TO

BY ORDER OF

COMMISSIONER BBMP BANGALORE

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **191127**  
as per details mentioned below.

dated <sup>24/02/2021</sup>

PAYMENT REFERENCE



- Centralised Collection and Payment Hub (CCPH)

Valid Until: 24/02/2021

|        |   |   |   |   |   |   |   |   |
|--------|---|---|---|---|---|---|---|---|
| DATE   | 2 | 4 | 0 | 2 | 2 | 0 | 2 | 1 |
| दिनांक |   |   |   |   |   |   |   |   |

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर  
RUPEES Sixteen Lacs Thirty Five Thousand Three Hundred Twenty Two Only

रुपये अदा करें ₹ 1,635,322.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 191127

Client Reference 4200007018\_45

For Axis-Bank Ltd  
  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above

⑈ 191127 ⑈ 400211071⑈ 999985 ⑈ 16



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

57 910

We are pleased to send to you Demand Draft No. **191131**  
as per details mentioned below.

dated 24/02/2021

PAYMENT REFERENCE



IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 24/05/2021

|        |   |   |   |   |   |   |   |   |
|--------|---|---|---|---|---|---|---|---|
| DATE   | 2 | 4 | 0 | 2 | 2 | 0 | 2 | 1 |
| दिनांक |   |   |   |   |   |   |   |   |

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES **Ninety Seven Thousand Six Hundred Forty Four Only**

रुपये

अदा करें ₹ 97,644.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 191131

Client Reference 4200007018\_49

For Axis Bank Ltd  
  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above

⑈ 191131 ⑈ 4002110711: 999985 ⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2021-910

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-OFC-04-2021-910

General Information

Segment ID

2021-22/Z1-5/W59-3/910

Street ID

NA

Street Name

NA

Zone

East

Ward No.

59

Ward Name

Maruthi Seva Nagar

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

27/01/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC Cabling

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

5

Laying Method

HDD

Likely Date of Commencement

Total Length (m)

No. of Cables

No. of Ducts

3

No. of Manhole

20



**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years  Yes
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.  Yes
- Security deposit will be refunded after 2 years, after field verification from BBMP  Yes
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years  Yes

**Status of My Application**

| Approver Name    | Designation | Date       |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE          | 03/02/2021 |
| aee5901(aee5901) | AE          | 03/02/2021 |
| aeee10(aeee10)   | AEE         | 10/02/2021 |
| ceofc01(ceofc01) | CE          | 10/02/2021 |
| ceofc01(ceofc01) | CE          | 11/02/2021 |



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : CE-OFC-04-2021-910

Date: 12/02/2021

### Demand Notice

**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission to lay OFC by HDD Method regarding

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 04-2021-910, dated : 27/01/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 1952.88 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-2021-22/Z1-5/W59-3/910)

| Sr No. | Segment Length (mts) | From Landmark              | To Landmark   | Start Coordinates   | End Coordinates     | Passing Through |
|--------|----------------------|----------------------------|---------------|---------------------|---------------------|-----------------|
| 1      | 375.2                | MARBALS ARCH               | SHALOM        | 13.004558-77.623054 | 13.005091-77.620833 | BGLR1453        |
| 2      | 196.66               | north star                 | north road    | 13.004600-77.620983 | 13.004432-77.621702 | BGLR1453        |
| 3      | 254.82               | cosmic manor               | CHANDRA HOUSE | 13.003387-77.623429 | 13.004495-77.623590 | BGLR1453        |
| 4      | 99.52                | Darul Niam Mohsmmed Ashfaq | House         | 13.004025-77.623644 | 13.003680-77.624491 | BGLR1453        |
| 5      | 79.22                | Olive Cafe Fortune Almash  | GANESH NILAYA | 13.003544-77.623687 | 13.003272-77.624363 | BGLR1453        |
| 6      | 167.59               | New Building               | No Name       | 13.003617-77.622861 | 13.003230-77.623440 | BGLR1453        |

|    |          |                       |                   |                     |                     |          |
|----|----------|-----------------------|-------------------|---------------------|---------------------|----------|
| 7  | ✓ 130.85 | Sai Pushpa            | sri sai sannidhi  | 13.002462-77.623180 | 13.002279-77.623566 | BGLR1453 |
| 8  | ✓ 72.38  | North Point Apartment | AC1402            | 13.003816-77.621959 | 13.003251-77.621627 | BGLR1453 |
| 9  | ✓ 57.2   | LEGACY DAVIS          | PEARL HOUSE       | 13.003758-77.621638 | 13.003293-77.621412 | BGLR1453 |
| 10 | ✓ 169.6  | M GHOUSE              | House             | 13.005127-77.623424 | 13.005044-77.623488 | BGLR1453 |
| 11 | ✓ 143.63 | PADMA                 | apollo pharmacy   | 13.005687-77.622120 | 13.005164-77.623333 | BGLR1453 |
| 12 | ✓ 141.99 | SEVAN SEAS            | Montessori School | 13.005472-77.623773 | 13.005206-77.624336 | BGLR1453 |
| 13 | ✓ 64.22  | VIVEK                 | PROVIDENC E       | 13.005833-77.622973 | 13.005587-77.623510 | BGLR1453 |



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Length of OFC proposed 1952.88 Mtrs.**

|                                |                |  |               |
|--------------------------------|----------------|--|---------------|
| Laying Charge @ 600/- Mtr      | 11,71,728.00   | Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher | 2,53,874.40 ✓ |
| Supervision Charge @ 100/- Mtr | 1,95,288.00    | Cess Amount @ 7.39/- Mtr   | 14,431.78 ✓   |
| Sub Total (A)                  | 13,67,016.00 ✓ | Security Deposit @ Rs.50/- Mtr   | 97,644.00 ✓   |
| GST @ 18% (B)                  | 2,46,062.88    | Total (C)  | 3,65,950.00   |
| Grand Total (A + B + C)        | 19,79,029.00   |  |               |

**Total Amount Payable Rs: 19,79,029.00 In words (Rupees NINETEEN LAKES SEVENTY NINE THOUSAND AND TWENTY NINE Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through

RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2021-910

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.


☰ **BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)**

BABU.VEERABHADRE@RIL.COM

📌 My Application

**OFC Details**

04-2021-910



*[Handwritten Signature]*

**Assistant Executive Engineer**  
**OFC CELL**  
**Bruhat Bangaluru Mahanagra Palike**  
**Bangaluru**

*[Handwritten Signature]*

**Executive Engineer**  
**OFC CELL**  
**Bruhat Bangaluru Mahanagra Palike**  
**Bangaluru**