

#### BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/1418/2021-22

Date: 09-12-2021

711

# Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

**<u>Ref :-</u>** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 26-02-2021.
- 3) Opinion obtained Online from Assistant Executive Engineer -K.G Halli Sub Division, East Zone on Dated: 09-08-2021.
- 4) Approved by Superintendent Engineer (OFC-Cell) on: 09-08-2021 (Online).
- 5) Fee Demand Note letter No: 04-2021-1418, Date: 09-08-2021.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD No: 01-09-2021

\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from L.R.Bande Main Road via 5th Cross Road up to Street ID No-W0136.	194.22 M
02	From L.R.Bande Main Road via 4th Cross Road for a length of 61.38 Mtr.	61.38 M
03	From L.R.Bande Main Road via 2nd Cross Road up to Street ID No-W0136.	191.19 M
04	Dinnur Main Road via Street ID No-W0218 up to Road end.	113.86 M
05	Dinnur Main Road via Street ID No-W0216 up to L.R.Bande Road.	253.63 M
06	Dinnur Main Road via Street ID No-W0212 for a length of 121.35 Mtr.	121.35 M
07	Dinnur Main Road via Street ID No-W0210 up to Road end.	109.90 M
08	Dinnur Main Road via Street ID No-W0208, W0206, W193 up to W0208.	445.95 M

No: EE/OFC/PR/1418/2021-22, Dt: 09-12-2021

executive Engineer (OFC), BBMP

09	From Street ID No-W0208 via W0189, W0206 up to W0193.	149.35 M					
10	From L.R Bande Main Road via 3rd Main Road, Street ID No-W0284, W0288 back to L.R. Bande Road.	269.32 M					
11	From L.R Bande Main Road via Street ID No-W0292 up to Road end.	81.21 M					
1	No of Pits-03, No of Manhole-20 and No of Ducts 3, in Ward No-32, East Zone Ref: As per drawing enclosed.						
	Total	1991.36 M					

The work shall be strictly taken up and completed between <u>09-12-2021</u> to <u>07-02-2022</u> and in line with conditions cited below:

#### **Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

#### Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated: 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.

Executive Engine (OF)

No: EE/OFC/PR/1418/2021-22, Dt: 09-12-2021

- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.

No: EE/OFC/PR/1418/2021-22, Dt: 09-12-2021

Executive Engineer (OFC): BBMP 7

- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

### Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (East Zone) for information.
- 3. Copy to Zonal Chief Engineer (East Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Pulikeshi Nagar Division) for information.
- Copy to the Concerned Assistant Executive Engineer of (K.G.Halli Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

olc Malinum

Executive Engineer (OFC), BBMI

# Bruhat Bengaluru Mahanagara Palike



Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell **Central Zone** 

#### Receipt (General Purpose) [para 22(1)]

Receipt Number: RE-ifms665-Ofc / 000538

DDO

: ddo665 Executive Engineer OFC Cable and Rain Water

Harvesting Cell Central Zone

**Receipt Date** 

: 08-Nov-2021

09-Aug-2021

Ward

: 032 Kaval Bairasandra

Reference

: EE/OFC/PR/1418/2021-22 / Credited

: Canara Bank, Bangalore City Corpn. E.C. (Cor)

(CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1767113.00 (Seventeen Lakh Sixty Seven Thousand One Hundred Thirteen) from

Sri/Smt M/s. Jio Digital Fiber Private Ltd, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		99568.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		258877.00	
3	R0008 Misc. Deposits (RCM)		14716.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	1194816.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	199136.00	
		Total	1767113	

#### Amount received as:

SI No	Туре	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank,Mahadevpura	196773	27-Aug-2021	1667545.00
2	DD	Axis Bank,Mahadevpura	196753	27-Aug-2021	99568.00
				Total	1767113

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

केन्द्राके के Camara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP	
दिनांक/ Date	
नाम/Name Compo. H. Chu SBmg टेलिफोन / मोनाइल Tel Na, मानाइल जानिक प्रतिकार कि	·
Ruples in word Company Compan	,
(1767570+: 17/08人) 99 5 68 . Ce (東西/ Total 27 67 1/3 加) (日本) (大本) (日本) (日本) (日本) (日本) (日本) (日本) (日本) (日	
एस उन्हें अपने प्रमुख्य प्रमुख्य प्रमुख्य क्रिक्ट क्रिक क्रिक्ट क्रिक्ट क्रिक्ट क्रिक्ट क्रिक्ट क्रिक क्रिक क्रिक्ट क्रिक क्र	

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-1418

30-08-2021

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-1418

With reference to your Demand Note bearing

CE-OFC-04-2021-1418 ,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR1302 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-1418	1991.36	3	1667545 🗸	196773 · Dated 27-08-21	99568,	196753 , Dated : 27-08-21	.250911

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



151418

MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

196773

27/08/2021 dated

PAYMENT REFERENCE



MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF ----

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

196753

27/08/2021 dated

PAYMENT REFERENCE

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-1418

/DD

Date

30-08-2021

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

<u>Sub: Permission to lay the OFC by HDD method.</u>

Ref: Demand Note

CE-OFC-04-2021-1418

With reference to your Demand Note bearing

CE-OFC-04-2021-1418

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR1302 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-1418	1991.36	3	1667545 🗸	196773 • Dated 27-08-21	99568,	196753 / Dated : 27-08-21	250911

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for 110 DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

BY ORDER OF

COMMISSIONER BBMP BANGALORE

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

We are pleased to send to you Demand Draft No. as per details mentioned below.

196773

27/08/2021 dated

PAYMENT REFERENCE

AXIS BANK LTD  1FS CODE - UTIB0000274  PURCHASER NAME - JIO DIGITAL	ISSUING BRANCH	Centralised Collection and Paymer	nt Hub (CCPH) Velid Until:26112021 DATE 2 7 0 8 2 0 2 दिनांक
COMMISSIONER E ON DEMAND PAY भाँगे जाने पर Sixteen Lacs Sixty Seven ी	BMP BANGALORE	red Forty Five Only	OR ORDER / या उनके आदेश पर
RUPEES हपये	V. 11. MARIE (1971) VI (19		अदा करें <b>₹</b> 1,667,545.00
	Payable at	t par at all Branches of AXIS Bank Ltd	
DD Sr. No. 196773	Client Reference	4200003826_93	For Axis Bank Ltd

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbal.
CODE NO.

Please sign above

Authorised Signatory



--- MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

We are pleased to send to you Demand Draft No. as per details mentioned below.

196753

27/08/2021 dated

PAYMENT REFERENCE

AXIS BANK LTD  15S CODE - UTIB0000274  PURCHASER NAME - JIO DIGITAL F	ISSUING BRANCH	- Centralised Collection and P	Payment Hub (CCPH) DATE दिनांक	Valid Until:26112021	1
COMMISSIONER BI ON DEMAND PAY माँगे जाने पर Ninety Nine Thousand Five	The second secon	ht Only	and the second s	OR ORDER / या उनके आदेश	ा पर
RUPEES रुपये			अदा करें ₹	99,568.00	
	Payable at	par at all Branches of AXIS Ban	ık Ltd .	* / 1001111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· . ,
DD Sr. No. 196753	Client Reference	4200003826_73	) )	For Axis Bank Ltd	100

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai. CODE NO.

Please sign above

55H10:24000

# BBMP ENGINEERING DEPARTMENT OFC Form

Application No. :04-2021-1418

PR Number(To be Assigned by AE/JE- CE-OFC-04-2021-1418 OFC, BBMP)

General Information

Segment ID

OFC/2021-22/Z1-5/W32-1/1418

Street ID

NA

NA

Zone

East

Ward No. 32

**Ward Name** 

**Street Name** 

Kaval Bairasandra

Service Provider Category

Telecom

Organization

Pin Code

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

**Registered Office Address** 

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

**Penalized Details** 

No

Vat Reg No.

**GST** 

29AAECJ4213B1Z0

**Turnover for Last 3 Years** 

TAN

AHMJ08610A

**Application Submission Date** 

26/02/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

**Local Address** 

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

**Purpose** 

OFC Laying

Phone No. 9845117017

Mobile No.

**Attachments** 

9845117017

**OFC/Cable Related Information** 

Laying OFC

Total No. of Pits(Points marked on map) Laying Method

3

**Likely Date of Commencement** 

Total Length (m)

No. of Cables

**No.of Ducts** 

No. of Manhole

3

20

#### Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Yes

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with

Yes

Security deposit will be refunded after 2 years, after field verification from BBMP

Yes

BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years


Yes

#### **Status of My Application**

Approver Name	Designation	Date	
seofc01(seofc01)	SE	04/08/2021	
aee(aee3201)	AE	09/08/2021	
aeee08(aeee08)	AEE	09/08/2021	
seofc01(seofc01)	SE	09/08/2021	
seofc01(seofc01)	SE	09/08/2021	

Date: 10/08/2021 Time: 11:10:23 20210810111023

No: 04-2021-1418



# Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-1418

Date: 09/08/2021

# **Demand Notice**

**GST No.: 29AAALBI608FIZK** 

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2021-1418, dated: 26/02/2021

As per requisition shown in below table for laying of OFC by HDD method to a length of 1991.36 mtr. has been approved by the competent authority.

#### Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z1-5/W32-1/1418)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	445.95	KHB main road	Dmart	13.028245- 77.607079	13.028020- 77.607862	PWD Quarters
2	149.35	KHB main road	Dmart	13.028203- 77.607400	13.028574- 77.607545	PWD Qurtrs
3	109.9	KHB main road	Dmart	13.028056- 77.607014	13.027753- 77.607980	PWD Qurtrs
4	121.35	KHB main road	Dmart	13.027393- 77.607942	13.027591- 77.607368	PWD Qurtrs
5	110.47	KHB main road	Angel Service station	13.027163- 77.607728	13.027497- 77.606767	PWD Qurtrs
6	113.86	KHB main road	Tower Road	13.026896- 77.607653	13.027262- 77.606671	PWD Qurtrs
7	81.21	LR Bande	KEB Office	13.026334- 77.609970	13.026447- 77.609565	Raghavendra temple

8	269.32	LR Bande	KEB station	13.027249- 77.609307	13.026915- 77.610367	Raghavendra swamy temple
9	143.16	LR Bande	Raghavendra temple	13.026661- 77.609173	13.026768- 77.608744	KEB station
10	194.22	LR Bande	KEB Station	13.029619- 77.609535	13.029786- 77.609573	Kanak nagar
11	191.19	LR Bande	Raghavendra temple	13.029813- 77.608715	13.030382- 77.608886	PWD Qurtrs
12	61.38	LR Bande	Raghavendra temple	13.029687- 77.609214	13.030210- 77.609396	KEB station

In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

## Length of OFC proposed 1991.36 Mtrs.

Laying Charge @ 600/- Mtr	11,94,816.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,58,876.80
Supervision Charge @ 100/- Mtr	1,99,136.00	Cess Amount @ 7.39/- Mtr	14,716.15
Sub Total (A)	13,93,952.00	Security Deposit @ Rs.50/- Mtr	99,568.00
GST @ 18% (B)	2,50,911.36	Total (C)	3,73,161.00
Grand Total (A + B + C)	20,18,024.00		

Total Amount Payable Rs: 20,18,024.00 In words (Rupees Twenty Lakh Eighteen Thousand and Twenty-Four Only)




**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike



11:10