

#### BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/2114/2021-22

Date: 25-08-2021

519

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

Sub:- Permission for laying of O F C by HDD Method-regarding

Ref: 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 26-03-2021.
- 3) Opinion obtained in Online from Assistant Executive Engineer -Shettihalli Sub Division, Dasarahalli Zone on Dated: 28-07-2021.
- 4) Approved by Superintendent Engineer (OFC-Cell) on Dated: 28-07-2021 (Online).
- 5) Fee Demand Note letter No: 05-2021-2114, Date: 28-07-2021.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited DD submitted letter Dated: 09-08-2021

\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl	Name of the Road and Route	Length in
No		Mtr
01	Permission for laying of OFC by HDD Method from Street ID No-I0094 via Street ID No-W0121, W0315, W0299, 17th Cross Road, 1st Main Road back to Street ID No-I0094.	957.76 M
02	From Street ID No-W0121 via W0309 for a length of 64.25 Mtr.	64.25 M
03	From I0283 via W0278, W0307 for a length of 77.03 Mtr.	77.03 M
04	From I0283 via W0276 for a length of 81.99 Mtr.	81.99 M
05	From Street ID No-W0276 via W0311 for a length of 36.13 Mtr.	36.13 M
06	From Street ID No-I0283 via W0274 for a length of 147.68 Mtr.	147.78 M

No: EE/OFC/PR/2114/2021-22, Dt: 25-08-2021

executive Engineer (ORC), BBMP

1

		Total	1746.84 M
	of Pits-05, No of Manhole-15 and No of Ducts 3, in Ward No-13, Dasarahalli Zor As per drawing enclosed.	ne.	
11	From 17th Main Road via Street ID No-W0293 for a length of 58.47 Mtr.		58.47 M
10	From Street ID No-W0289 via W0208, W0297 for a length of 77.10 Mtr		77.10 M
09	From Street ID No-I0283 via W0268, W0289 for a length of 59.39 Mtr.		59.39 M
08	From Street ID No-I0283 via W0252 for a length of 98.26 Mtr.		98.26 M
07	From Street ID No-I0283 via W0272 for a length of 88.78 Mtr.		88.78 M

The work shall be strictly taken up and completed between <u>25-08-2021</u> to <u>24-10-2021</u> and in line with conditions cited below:

#### **Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

### **Conditions for HDD Method OFC laying**

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated: 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.

No: EE/OFC/PR/2114/2021-22, Dt: 25-08-2021

- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.


17. The Agency should not cause any inconvenience to public while executing the work.

No: EE/OFC/PR/2114/2021-22, Dt: 25-08-2021

- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

#### Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (Dasarahalli Zone) for information.
- 3. Copy to Zonal Chief Engineer (Dasarahalli Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Dasarahalli Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Shettihalli Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy



Executive Engineer (OFC) BBMF

## Bruhat Bengaluru Mahanagara Palike



## Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell **Central Zone**

#### Receipt (General Purpose) [para 22(1)]

DDO

to

: ddo665 Executive Engineer OFC Cable and Rain Water

Receipt Number: RE-ifms665-Ofc / 000334

Harvesting Cell Central Zone

Receipt Date

: 03-Sep-2021

Ward

: 013 Mallasandra : Canara Bank, Bangalore City Corpn. E.C. (Cor)

Reference

: EE/OFC/PR/2114/2021-22 / Credited 28-Jul-2021

(CNRB0008401) - 8401132000010 (OFC)

peived the sum of Rs. 1550128.00 (Fifteen Lakh Fifty Thousand One Hundred Twenty Eight) from

Sri/Smt M/s. Jio Digital Fiber Private Ltd RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru

Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		87342.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		227089.00	
3	R0008 Misc. Deposits (RCM)		12909.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	1048104.00	
3	R1033 Duct Services (RCM)	Ofc Supervision Charges		
		Tota	1550128	

#### Amount received as:

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
31 NO	DD	Axis Bank,Mahadevpura	049828	06-Aug-2021	1462786.00
<u>'</u>	DD	Axis Bank, Mahadevpura	049806	06-Aug-2021	87342.00
	100	Axis Barik, Manadov para		Total	1550128

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

	& any	
	केन्य के Canara Bank जमा पर्नी / DEPOSIT / PAY IN SLIP शाखा/ Branch Calonilas दिनांक/ Date 0 4 0 8 2 0 2 1	
	SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No. बचत / चाल खाता / ओडी / सीसी / आरडी / टीएल /डिएल) खाता सं. / केडिट कार्ड सं.	,
	नाम/Name किर्माण कि	
•	राशि /Amount	
	चेक नं. / दिनांक तथा बैंक व शोखाँ के जिसम Cheque No./Date / Name of Bank & Ba	
•	049806, 06/08/21 (37 34 2) - 東西/Total 197 50 // 28/-	
	अधिकारी / राकाइया / Canara Bank Toll Free No.	

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-2114

/DD

Date:

09-08-2021

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

**Ref:** Demand Note

CE-OFC-04-2021-2114

With reference to your Demand Note bearing

CE-OFC-04-2021-2114

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR0233 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-2114	1746.84	3	1462786	49828 Dated 06-08-21	87342	49806 Dated : 06-08-21	220102

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



- MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

049828

06/08/2021 dated

PAYMENT REFERENCE



as per details mentioned below.

MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF -----

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No.

049806

06/08/2021 dated

PAYMENT REFERENCE

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-2114

/DD

Date:

09-08-2021

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-2114

With reference to your Demand Note bearing

CE-OFC-04-2021-2114

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR0233 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-2114	1746.84	3	1462786	49828 Dated 06-08-21	87342	49806 Dated : 06-08-21	220102

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

049828

06/08/2021 dated

PAYMENT REFERENCE

AXIS BANK LTD  IFS CODE - UTIB0000274  PURCHASER NAME - JIO DIGITAL FI	ISSUING BRANCH BRE PVT LTD	- Centralised Collection and Payment	Hub (CCPH) Ve DATE (0 दिनांक	11id Until:05112021	2 0 2 1
ON DEMAND PAY  पींगे जाने पर  Fourteen Lacs Sixty Two The		dred Fighty Siv Only		OR ORDE	R/या उनके आदेश पर
RUPEES Toutleen Back Sinky Two Till			अदा करें ₹	1,462,786'.00	
grove, was haven to a supply group a manufacture and contact and the contact a	Payable a	t par at all Branches of AXIS Bank Ltd.			
DD Sr. No. 049828	Client Reference	4200003054_116	Mastro	or Axis Ba	nk Ltd
	Under CMS Arra	angement	Authorise	H0:24:54 ad Signatory	Audinoised Signatory

Centralised Collections & Payment Hub CODE NO. Please sign above

Mumbai.



MAIL TO

BY ORDER OF

COMMISSIONER BBMP BANGALORE

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

049806

06/08/2021 dated

PAYMENT REFERENCE


ISSUING BRANCH Valid Until:05112021 - Centralised Collection and Payment Hub (CCPH) DATE [0 **रिनांक** PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD COMMISSIONER BBMP BANGALORE ON DEMAND PAY ार ORDER / या उनके आदेश पर माँगे जाने पर Eighty Seven Thousand Three Hundred Forty Two Only RUPEES रुपये 87,342.00 अदा करें। Payable at par at all Branches of AXIS Bank Ltd For Axis Bank Ltd 049806 DD Sr. No. Client 4200003054 94 Reference

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.
CODE NO.

Please sign above

SSHO: 24004

Authorised Signatory



## BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.:04-2021-2114

PR Number(To be Assigned by AE/JE- CE-OFC-04-2021-2114 OFC, BBMP)

**General Information** 

Segment ID

OFC/2021-22/Z5-73/W13-7/2114

Street ID

NA

**Street Name** 

NA

Zone

Dasarahalli

Ward No.

**Ward Name** 

Mallasandra

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

**Registered Office Address** 

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

Pin Code

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

**Penalized Details** 

No

Vat Reg No.

**GST** 

29AAECJ4213B1Z0

**Turnover for Last 3 Years** 

60

TAN

AHMJ08610A

**Application Submission Date** 

26/03/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

OFC

**Email ID** 

babu.veerabhadre@ril.com

**Local Address** 

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

Phone No.

9845117017

Mobile No.

**Attachments** 

9845117017

**OFC/Cable Related Information** 

Laying OFC

Total No.of Pits(Points marked on map) Laying Method

HDD

**Likely Date of Commencement** 


Total Length (m)

No. of Cables

**No.of Ducts** 

No. of Manhole

15



#### **Declaration**

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years Yes Yes

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.

Security deposit will be refunded after 2 years, after field verification from BBMP

BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years Yes


Yes

#### **Status of My Application**

Approver Name	Designation	Date	
ceofc01(ceofc01)	CE	29/03/2021	
aed1301(aed1301)	AE	18/06/2021	
aeed01(aeed01)	AEE	19/07/2021	
aed1301(aed1301)	AE	28/07/2021	
aeed01(aeed01)	AEE	28/07/2021	
seofc01(seofc01)	SE	28/07/2021	
seofc01(seofc01)	SE	28/07/2021	

20210729093824 Date: 29/07/2021 Time: 09:38:24

No: 04-2021-2114



# Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-2114

Date: 28/07/2021

## **Demand Notice**

**GST No.: 29AAALBI608FIZK** 

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2021-2114, dated: 26/03/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 1746.84 mtr. has been approved by the competent authority.

#### Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z5-73/W13-7/2114)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	867.37	1st main road	prashanth nagar	13.047628- 77.514473	13.048151- 77.514666	FSA 0233
2	64.25	mts colony	MTS colony	13.046894- 77.515218	13.047464- 77.515119	FSA 0233
3	81.99	2nd cross	2nd cross	13.047831- 77.514587	13.047685- 77.515108	FSA 0233
4	36.13	2nd cross	2nd cross	13.047670- 77.515358	13.047351- 77.515422	FSA 0233
5	147.68	2nd cross road	2nd cross road	13.048058- 77.514655	13.047788- 77.515592	FSA 0233
6	88.78	1st cross	1st cross	13.048255- 77.514733	13.048020- 77.515516	FSA 0233
7	98.26	2nd A cross	2nd A cross	13.048467- 77.514776	13.048313- 77.515669	FSA 0233

8		nallasandra village	mallasandra village	13.048940- 77.514891	13.048883- 77.515149	FSA 0233
9	1 1	old panchayithi poad	old panchayithi road	13.048883- 77.515157	13.048775- 77.515728	FSA 0233
10	_	oppsite policestation road	oppsite policestation road	13.049985- 77.515653	13.049468- 77.515556	FSA 0233
11	77.03 9	oth cross road	9th cross road	13.047566- 77.514494	13.047409- 77.514961	FSA 0233
12	90.39 k	kalyan nagara	kalyan nagara	13.047547- 77.514467	13.047273- 77.514360	FSA 0233



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

## Length of OFC proposed 1746.84 Mtrs.

Laying Charge @ 600/- Mtr	10,48,104.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,27,089.20	
Supervision Charge @ 100/- Mtr	1,74,684.00	Cess Amount @ 7.39/- Mtr	12,909.15	

Sub Total (A)	12,22,788.00	Security Deposit @ Rs.50/- Mtr	87,342.00
GST @ 18% (B)	2,20,101.84	Total (C)	3,27,340.00
Grand Total (A + B + C)	17,70,230.00		

Total Amount Payable Rs: 17,70,230.00 In words (Rupees Seventeen Lakh seventy Thousand Two Hundred and Thirty Only)

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.



Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2021-2114

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

