



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Superintendent Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/2486/2021-22

Date: 11-02-2022

1354

**Permission for laying of Optical Fiber Cable**

To,

M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for laying of O F C by HDD Method-regarding

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 16-04-2021.
  - 3) Opinion obtained **Online from Assistant Executive Engineer -Kengeri Sub Division, R.R Nagar Zone on Dated: 27-01-2022.**
  - 4) Approved by Superintendent Engineer (OFC-Cell) on **03-02-2022 (Online).**
  - 5) Fee Demand Note letter No: 04-2021-2486, Date: **03-02-2022.**
  - 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: **10-02-2022.**

\*\_\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 4th Main via 2nd Main Road, 1st Cross, Street ID No-W0671 for a length of 298.53 Mtr.	298.53 M
02	From 2nd Main Road via 21st Cross Road, Street ID No-W0397, W0318, W0411, W0314 for a length of 344.52 Mtr.	344.52 M
03	From Street ID No-W0397 via W0324, W0395, W0320 for a length of 248.15 Mtr.	248.15 M
04	From 4th Main Road via 4th Cross for a length of 39.74 Mtr.	39.74 M
05	From 4th Main Road via 3rd Cross up to Omkar Hill Road.	242.23 M
06	From 4th Cross via 1st Cross for a length of 116.73 Mtr.	116.73 M
07	From 4th Cross via 2nd Cross for a length of 81.00 Mtr.	81.00 M

No: EE/OFC/PR/2486/2021-22, Dt: 11-02-2022

  
Executive Engineer (OFC), BBMP

08	From 4th Cross via Service Road, 3rd Cross for a length of 246.22 Mtr.	246.22 M
09	From 3rd Cross via Service Road, 2nd Cross for a length of 207.01 Mtr.	207.01 M
10	From 2nd Cross via Service Road, 1st Cross late Bhagya Gowda Road for a length of 115.05 Mtr.	115.05 M
11	From Late Bhagya Gowda Road via Street ID No-W0357 for a length of 31.03 Mtr.	31.03 M
No of Pits-05, No of Manhole-19 and No of Ducts 3, in Ward No-198, RR Nagara Zone Ref: As per drawing enclosed.		
Total		1970.21 M

The work shall be strictly taken up and completed between **11-02-2022** to **12-04-2022** and in line with conditions cited below:

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for HDD Method OFC laying**

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.

7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCO / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.

18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (RR Nagara Zone) for information.
3. Copy to Zonal Chief Engineer (RR Nagara Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (Kengeri Division) for information.
6. Copy to the Concerned Assistant Executive Engineer of (Kengeri Sub Division) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy



# Bruhat Bengaluru Mahanagara Palike

Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell  
Central Zone

**Receipt**  
**(General Purpose)**  
**[para 22(1)]**

**Receipt Number** : RE-ifms665-Ofc / 001272      **DDO** : ddo665 Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone  
**Receipt Date** : 22-Feb-2022      **Ward** : 198 Hemmigepura  
**Reference** : EE/OFC/PR/2486/2021-22 / 03-Feb-2022      **Credited to** : Canara Bank, Bangalore City Corpn. E.C. (Cor) (CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1748345.00 (Seventeen Lakh Fourty Eight Thousand Three Hundred Fourty Five) from

Sri/Smt M/s.Jio Digital Fiber Private Ltd.,  
RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar,  
Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		98511.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		256127.00	
3	R0008 Misc. Deposits (RCM)		14560.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	1182126.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	197021.00	
<b>Total</b>			<b>1748345</b>	

Amount received as :

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank, Mahadevpura	066586	09-Feb-2022	1649834.00
2	DD	Axis Bank, Mahadevpura	066577	09-Feb-2022	98511.00
<b>Total</b>					<b>1748345</b>

for Bruhat Bengaluru Mahanagara Palike  
Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-2486 /DD

Date: 10-Feb-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note** CE-OFC-04-2021-2486

With reference to your Demand Note bearing CE-OFC-04-2021-2486 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0307 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying&Sup ervation	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-2486	1970.21	3	1649834	66577 Dated 09-02-22	98511	66586 Dated : 09-02-22	248246

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

SOA  
for MA

11/2/22





152486

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**066586**

09/02/2022  
dated

PAYMENT REFERENCE



022476

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**066577**09/02/2022  
dated

---

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-2486 /DD

Date: 10-Feb-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method .**

**Ref: Demand Note** CE-OFC-04-2021-2486

With reference to your Demand Note bearing CE-OFC-04-2021-2486 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0307 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying&Sup ervation	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-2486	1970.21	3	1649834	66577 Dated 09-02-22	98511	66586 Dated : 09-02-22	248246

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

25176

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**066586**

09/02/2022 dated

**PAYMENT REFERENCE**

**AXIS BANK LTD** ISSUING BRANCH  
IFS CODE - UTIB0000274  
PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 08052022

DATE 09/02/2022  
दिनांक

A/c Payee Not Negotiable

COMMISSIONER BBMP BANGALORE

ON DEMAND PAY

OR ORDER / या उनके आदेश पर

मौंगे जाने पर Sixteen Lacs Forty Nine Thousand Eight Hundred Thirty Four Only

RUPEES  
रुपये

₹ 1,649,834.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 066586

Client Reference 4200008856\_78

**For Axis Bank Ltd**  
Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above

⑈066586⑈ 400211071⑈ 999984⑈ 16

52295

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

09/02/2022

We are pleased to send to you Demand Draft No. **066577**  
as per details mentioned below.

dated

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 08052022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 09/02/2022  
दिनांक

COMMISSIONER BBMP BANGALORE

ON DEMAND PAY

OR ORDER / या उनके आदेश पर

मौगे जाने पर  
Ninety Eight Thousand Five Hundred Eleven Only

RUPEES  
रुपये

₹ 98,511.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 066577

Client Reference 4200008856\_69

**For Axis Bank Ltd**  
Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above

⑈066577⑈ 400211071⑈ 999984⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2021-2486

PR Number(To be Assigned by AE/JE-  
OFC, BBMP) CE-OFC-04-2021-2486

General Information

Segment ID

OFC/2021-22/Z4-104/W198-14/2486

Street ID

NA

Street Name

NA

Zone

RR Nagara

Ward No.

198

Ward Name

Hemmigepura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

16/04/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC cable laying

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

5

Laying Method

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

**No. of Ducts**

3

**No. of Manhole**

19

**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years **Yes**  
 Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. **Yes**  
 Security deposit will be refunded after 2 years, after field verification from BBMP **Yes**  
 BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years **Yes**

**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/04/2021
aer19801(aer19801)	AE	18/06/2021
aer06(aer06)	AEE	19/07/2021
aer19801(aer19801)	AE	27/01/2022
aer06(aer06)	AEE	27/01/2022
seofc01(seofc01)	SE	27/01/2022
seofc01(seofc01)	SE	03/02/2022



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : CE-OFC-04-2021-2486

Date: 03/02/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission to lay OFC by HDD Method regarding**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 04-2021-2486, dated : 16/04/2021

As per requisition shown in below table for laying of OFC by HDD method to a length of 1970.21 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z4-104/W198-14/2486)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	246.22	KRISHANA GARDEN	KRISHANA GARDEN	12.914656-77.506032	12.914266-77.506222	FSA0307
2	207.01	KRISHANA GARDEN	KRISHANA GARDEN	12.914222-77.506244	12.913882-77.506437	FSA0307
3	115.05	KRISHANA GARDEN	KRISHANA GARDEN	12.913845-77.506458	12.913531-77.506630	FSA0307
4	31.03	KRISHANA GARDEN	KRISHANA GARDEN	12.913103-77.506506	12.912831-77.506442	FSAA0307
5	242.23	KRISHANA GARDEN	KRISHANA GARDEN	12.912941-77.506997	12.912703-77.507555	FSA0307
6	116.73	KRISHANA GARDEN	KRISHANA GARDEN	12.912784-77.507268	12.911816-77.506850	FSA0307
7	81	KRISHANA GARDEN	KRISHANA GARDEN	12.912632-77.507542	12.911963-77.507247	FSA0307

8	39.74	KRISHANA GARDEN	KRISHANA GARDEN	12.911116-77.507547	12.911450-77.507676	FSA0307
9	298.53	KRISHANA GARDEN	KRISHANA GARDEN	12.909746-77.509307	12.910122-77.509419	FSA0307
10	344.52	KRISHANA GARDEN	KRISHANA GARDEN	12.911482-77.509816	12.911555-77.509398	FSA0307
11	248.15	KRISHANA GARDEN	KRISHANA GARDEN	12.911890-77.509328	12.911942-77.508202	FSA0307



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Length of OFC proposed 1970.21 Mtrs.**

Laying Charge @ 600/- Mtr	11,82,126.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,56,127.30
Supervision Charge @ 100/- Mtr	1,97,021.00	Cess Amount @ 7.39/- Mtr	14,559.85
Sub Total (A)	13,79,147.00	Security Deposit @ Rs.50/- Mtr	98,510.50
GST @ 18% (B)	2,48,246.46	Total (C)	3,69,198.00



Grand Total (A + B + C)	19,96,591.00
-------------------------	--------------

**Total Amount Payable Rs: 19,96,591.00 In words (Rupees Nineteen Lakh Ninety-Six Thousand Five Hundred and Ninety-One Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Receipt of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 04-2021-2486

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.


BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

106/W198-	2490	Pending	seofc01(seofc01)	Demand note approved	Notice	Status	Payment	Letter	View/Submit
-----------	------	---------	------------------	----------------------	--------	--------	---------	--------	-------------

OFC Details

04-2021-2486



22121-308NV9-	2483	Pending	ceofc01(ceofc01)	Demand note approved	Notice	Status	Payment	Letter	View/Submit
---------------	------	---------	------------------	----------------------	--------	--------	---------	--------	-------------

Executive Engineer

OFC CELL

12

Assistant Executive Engineer

OFC CELL

Urbanat Bengaluru Mahanagra Palike  
Bengaluru

Urbanat Bengaluru Mahanagra Palike  
Bengaluru