



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/4420/2022-23

Date: 22-04-2022

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 18-09-2021.

3) Opinion obtained **Online from Assistant Executive Engineer -Anjanapura Sub Division, Bommanahalli Zone on Dated: 04-04-2022.**

4) Approved by Superintendent Engineer (OFC-Cell) on **04-04-2022 (Online).**

5) Fee Demand Note letter No: 04-2021-4420, Date: **04-04-2022.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on:**19-04-2022.**

*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:


Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Street ID No-W0302 via 6th 'E' Main Road for a length of 222.31 Mtr, No of Pits-01, No of Manhole-01 and No of Ducts 3, in Ward No-195, Bommanahalli Zone Ref: As per drawing enclosed.	222.31 M
Total		222.31 M

The work shall be strictly taken up and completed between **22-04-2022 to 21-06-2022** and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/4420/2022-23, Dt: 22-04-2022


Executive Engineer (OFC), BBMP

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.

12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
3. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Bangalore South** Division) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura** Sub Division) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy



Bruhat Bengaluru Mahanagara Palike
Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell
Central Zone

Receipt
(General Purpose)
[para 22(1)]

Receipt Number : RE-ifms665-Ofc / 000128 **DDO** : ddo665 Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone
Receipt Date : 30-Apr-2022 **Ward** : 195 Konankunte
Reference : EE/OFC/PR/4420/2022-23 / 04-Apr-2022 **Credited to** : Canara Bank, Bangalore City Corpn. E.C. (Cor) (CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 197276.00 (One Lakh Ninety Seven Thousand Two Hundred Seventy Six) from

Sri/Smt M/s.Jio Digital Fiber Private Limited
RMZ ICON, No-51,Palace Road Cross, Vasanth nagar,
Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		11115.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		28901.00	
3	R0157 Misc Receipts (RCM)		1643.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	133386.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	22231.00	
Total			197276	

Amount received as :

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank,Mahadevpura	088994	18-Apr-2022	186160.00
2	DD	Axis Bank,Mahadevpura	089024	18-Apr-2022	11116.00
Total					197276

for Bruhat Bengaluru Mahanagara Palike
Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/4420/2022-23

Date: 22-04-2022

94
Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 18-09-2021.

3) Opinion obtained **Online from Assistant Executive Engineer -Anjanapura Sub Division, Bommanahalli Zone on Dated: 04-04-2022.**

4) Approved by Superintendent Engineer (OFC-Cell) on **04-04-2022 (Online).**

5) Fee Demand Note letter No: 04-2021-4420, Date: **04-04-2022.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on:**19-04-2022.**

*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:


SI No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Street ID No-W0302 via 6th 'E' Main Road for a length of 222.31 Mtr, No of Pits-01, No of Manhole-01 and No of Ducts 3, in Ward No-195, Bommanahalli Zone Ref: As per drawing enclosed.	222.31 M
Total		222.31 M

The work shall be strictly taken up and completed between **22-04-2022 to 21-06-2022** and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/4420/2022-23, Dt: 22-04-2022



Executive Engineer (OFC), BBMP

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed; also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**

12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

No: EE/OFC/PR/4420/2022-23, Dt: 22-04-2022


Executive Engineer (OFC), BBMP

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli Zone**) for information.
3. Copy to Zonal Chief Engineer (**Bommanahalli Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Bangalore South Division**) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura Sub Division**) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy

12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli Zone**) for information.
3. Copy to Zonal Chief Engineer (**Bommanahalli Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Bangalore South Division**) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Anjanapura Sub Division**) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy

केनरा बैंक ~~Canara Bank~~ जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch SCC ERM: 11

दिनांक/ Date 19 04 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 वचत / चालू खाता / ओडी / सीपी / आरडी / टीएन / डीएल खाता नं. / क्रेडिट कार्ड नं.

00001132000010

नाम/Name Comm. Officer CBmp

टेलिफोन / मोबाइल नं.
 Tel No. / Mobile No.

राशि / Amount ₹ 1,97,276.00/-

राशि शब्दों में
 Rupees in words One Lakh Ninety Seven Thousand Two Hundred and Seventy Six Only

चक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No. / Date / Name of Bank & Branch	₹	₹/P.
<u>088794 dt. 18/04/22</u>	<u>1,86,160.00/-</u>	
<u>089024 dt. 18/04/22</u>	<u>11,116.00/-</u>	
Total	₹ 1,97,276.00/-	

अधिकारी / रोकड़िया/ BRUHATSE
 Officer/Cashier/SWO

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
 Canara Bank Toll Free No.
18004280018

BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-4420 /DD

Date: 19-Apr-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2021-4420

With reference to your Demand Note bearing CE-OFC-04-2021-4420, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission to lay OFC on 04-2021-4420 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-4420	222.31	3	186160	88994 Dated 18-04-22	11116	89024 Dated : 18-04-22	28011

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

SDA
for MA

20/4



634420

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

088994

dated ^{18/04/2022}

PAYMENT REFERENCE

SD 4420

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

089024

dated ^{18/04/2022}

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-4420 /DD

Date: 19-Apr-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-4420

With reference to your Demand Note bearing CE-OFC-04-2021-4420, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission to lay OFC on 04-2021-4420 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-4420	222.31	3	186160	88994 Dated 18-04-22	11116	89024 Dated : 18-04-22	28011

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

137420

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **088994**
as per details mentioned below.

dated 18/04/2022

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17072022

DATE 1 8 0 4 2 0 2 2
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER, BBMP, BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Eighty Six Thousand One Hundred Sixty Only
रुपये

अदा करें

₹ 186,160.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 088994

Client Reference 4200000816_17

For Axis Bank Ltd
Authorised Signatory
25/4/22

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please Sign above

584420

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **089024**
as per details mentioned below.

18/04/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17072022

DATE	1	8	0	4	2	0	2	2
दिनांक								

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER, BBMP, BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES Eleven Thousand One Hundred Sixteen Only

रुपये

अदा करें

₹ 11,116.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 089024

Client Reference 4200000816_47

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Ganesh
SS17926
Authorised Signatory

Arvind
SS17024004
Authorised Signatory

Please sign above

⑈089024⑈ 400211071⑈ 999983⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2021-4420

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-OFC-04-2021-4420

General Information

Segment ID

OFC/2021-22/Z8-574/W195-52/4420

Street ID

NA

Street Name

NA

Zone

Bommanahalli

Ward No.

195

Ward Name

Konanakunte

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

18/09/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC Laying

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

1

Laying Method

HDD


Likely Date of Commencement

Total Length (m)

No. of Cables

No. of Ducts
3

No. of Manhole
1



Declaration

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years **Yes**
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. **Yes**
- Security deposit will be refunded after 2 years, after field verification from BBMP **Yes**
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years **Yes**

Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE	22/09/2021
aeb19501(aeb19501)	AE	14/02/2022
aeeb05(aeeb05)	AEE	01/04/2022
seofc01(seofc01)	SE	01/04/2022
aeb19501(aeb19501)	AE	04/04/2022
aeeb05(aeeb05)	AEE	04/04/2022
seofc01(seofc01)	SE	04/04/2022
seofc01(seofc01)	SE	04/04/2022

Date : 05/04/2022

Time : 09:23:32

20220405092332



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : CE-OFC-04-2021-4420

Date: 04/04/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding


Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 04-2021-4420, dated : 18/09/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 222.31 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z8-574/W195-52/4420)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	222.31	Bescom Office	Bescom Office	12.885493-77.577209	12.885771-77.577805	BGLR_1294 OM





In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 222.31 Mtrs.

Laying Charge @ 600/- Mtr	1,33,386.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	28,900.30
Supervision Charge @ 100/- Mtr	22,231.00	Cess Amount @ 7.39/- Mtr	1,642.87
Sub Total (A)	1,55,617.00	Security Deposit @ Rs.50/- Mtr	11,115.50
GST @ 18% (B)	28,011.06	Total (C)	41,659.00
Grand Total (A + B + C)	2,25,287.00		

Total Amount Payable Rs: 2,25,287.00 In words (Rupees Two Lakh Twenty-Five Thousand Two Hundred and Eighty-Seven Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Receipt of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike


BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

699/W171- 4424 Pending seofc01(seofc01) OFC Work Created Notice Status Payment Letter View/Submit

OFC Details

04-2021-4420



42728-512/4416 4416

Notice Status Letter

EXECUTIVE ENGINEER OFC CELL

ASSISTANT EXECUTIVE ENGINEER

OFC CELL

BROHAT BENGALURU MAHANAGARA PALIKE BENGALURU

BROHAT BENGALURU MAHANAGARA PALIKE BENGALURU