

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/4716/2022-23

Date: 19-04-2022

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52. Sir,

Sub:-Permission for laying of O F C by HDD Method-regarding

Ref:-

1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 23-09-2021.
- 3) Opinion obtained Online from Assistant Executive Engineer -Basavanagudi Sub Division, South Zone on Dated: 29-03-2022.
- 4) Approved by Superintendent Engineer (OFC-Cell) on 01-04-2022 (Online).
- 5) Fee Demand Note letter No: 04-2021-4716, Date: 01-04-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on:18-04-2022.

*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 7th Cross via 1st Main, 3rd Cross, Shop Street Mallikarjuna Temple Road, DVG Road up to 7th Cross.	712.09 M
02	From 7th Cross via Sannidi Road up to Mallikarjuna Temple Road.	250.99 M
03	From 7th Cross via E.A.T Road up to K.S Rao Road.	309.85 M
04	From Mallikarjuna Temple Road via D.V.G Road up to Street ID No-W0012.	108.23 M
	of Pits-03, No of Manhole-11 and No of Ducts 3, in Ward No-154, South Zone As per drawing enclosed.	
	Total	1381.16 M

The work shall be strictly taken up and completed between 19-04-2022 to **18-06-2022** and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.


Executive Engineer (OFC), BBMP

- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

(xecutive Engineer (OPC), BBMF

Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (South Zone) for information.
- 3. Copy to Zonal Chief Engineer (**South** Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Basavanagudi Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Basavanagudi Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy



Executive/Engineer (OFC), BBMF

04-2021 - 4716 Part
केनरा वैक 🖈 Canava Bailk जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch VCC Extelin
दिनांक/ Date 18042022
SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल <u>/</u> डीएल <u>खाता मं. / क्रेडिट कार्ड सं.</u>
8401132000010
नाम/Name Commission Samo
टेलिफोन / मोबाइल नं Tel No. / Mobile No. पे/P.
Tel No. / Mobile No.
गांश /Amount 11 6 28 - 40
राशि शब्दी में के कि कि कि कि प्रिक्त के कि
KIIDERS M WOMEN SECTION OF THE PROPERTY OF THE
weeks Sattenen Rugar
चेक नं रिट्नीक तथा वैक व शाखा का नाम
चेक नं. रितीक तथा वैक व शाखा का नाम Cheque No Date / Name of Bank & Braugh
चेक नं, रिनीक तथा वैंक व शाखा का नाम Cheque No Date / Name of Bank & Branch
चेक नं. रितीक तथा वैक व थाखा का नाम Cheque No Date / Name of Bank & Branch 1 08 88 9 ार रहे कि 18 कि 1 5 6 5 70 क 08 88 38 कि 18 कि 18 कि 18 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
चक नं. दिनीक तथा वैक व थाखा का नाम Cheque No Date / Name of Bank & Braugh () 08 88 9 अ: १३००/१८ ४/१ 5 6 570 क 08 88 38 अ: १३००/१८ ४/१ 5 6 570 क उस्ता / Total / 2 5 628 . 00
चक नं. दिनीक तथा वैक व थाखा का नाम Cheque No Date / Name of Bank & Braugh () 08 88 9 अ: १३००/१८ ४/१ 5 6 570 क 08 88 38 अ: १३००/१८ ४/१ 5 6 570 क उस्ता / Total / 2 5 628 . 00
चेक नं. रिनीक तथा वैक व शाखा का नाम Cheque No Date / Name of Bank & Braugh / 5 6 5 70 0 08 88 38 कि 18 18 18 18 18 18 18 18 18 18 18 18 18
चेक नं. रिनीक तथा वेंक व थाखा का नाम Cheque No Date / Name of Bank & Branch 1 08 88 9 अ: 18 कि 19 5 6 5 70 @ 08 88.38 अंट 18 कि 19 5 6 5 70 @ EXECUTIVE EN GHA EFFER की 24 चंट कॉल मेंटर

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-4716

/DD

Date:

13-Apr-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-4716

With reference to your Demand Note bearing

CE-OFC-04-2021-4716

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on

BGLR0845

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-4716	1381.16	3	1156570	88829 Dated 12-04-22	69058	88838 Dated : 12-04-22	174026

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

ENGINEER (O. Bengaluru Mahi

SDP NO

1. 47/3

MA		ΓO –	_

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

088829

dated

PAYMENT REFERENCE



504716

MAIL	TO-	 _

COMMISSIONER BBMP BANGALORE

-BY ORDER OF ------

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

088838

dated dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-4716

/DD

Date:

13-Apr-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-4716

With reference to your Demand Note bearing

CE-OFC-04-2021-4716

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR0845

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-4716	1381.16	3	1156570	88829 Dated 12-04-22	69058	88838 Dated : 12-04-22	174026

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

13194/

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

088829

dated dated

PAYMENT REFERENCE

ISSUING BRANCH IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

ON DEMAND PAY माँगे जाने पर

DD Sr. No.

088829

RUPEES Eleven Lacs Fifty Six Thousand Five Hundred Seventy Only


1,156,570.00 _अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

Client Reference

4200000596 88

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai. CODE NO.



-04716

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

088838

dated 12/04/2022

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH) DATE

1 2 दिनांक

Valid Until:11072022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

Sixty Nine Thousand Fifty Eight Only RUPEES__

रुपये

69,058.00

DD Sr. No. 088838

Client

Reference

4200000596 97

Payable at par at all Branches of AXIS Bank Ltd.

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai. CODE NO.

For Axis Bank Ltd SSH0:24004

BBMP ENGINEERING DEPARTMENT OFC Form

Application No. :04-2021-4716

PR Number(To be Assigned by AE/JE- CE-OFC-04-2021-4716 OFC, BBMP)

General Information

Segment ID

OFC/2021-22/Z3-741/W154-6/4716

Street ID

NA

Street Name

NA

Zone South Ward No.

154

Ward Name

Basavanagudi

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

23/09/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

Attachments

9845117017

OFC/Cable Related Information

Laying OFC

Total No.of Pits(Points marked on map) Laying Method

3

HDD

Likely Date of Commencement

Total Length (m)

No. of Cables

9/30/2021 12:00:00 AM


1381.16

3

No.of Ducts

No. of Manhole

3



Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Yes

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with

Yes

Security deposit will be refunded after 2 years, after field verification from BBMP


BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years

Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE,	01/10/2021
aes15401(aes15401)	AÉ	01/10/2021
aees03(aees03)	AEE	29/03/2022
seofc01(seofc01)	SE	29/03/2022
seofc01(seofc01)	SE	01/04/2022

20220402103948 Time: 10:39:48 Date: 02/04/2022

No: 04-2021-4716



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-4716

Date: 01/04/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2021-4716, dated: 23/09/2021

As per requisition shown in below table for laying of OFC by HDD method to a length of 1381.16 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z3-741/W154-6/4716)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	645.11	W0028	1st cross	12.938565- 77.568787	12.939439- 77.568739	FSA0845
2	250.99	3rd cross	3rd cross road	12.940521- 77.569667	12.939988- 77.569662	FSA0845
3	201.11	w0052	w0052	12.940526- 77.570472	12.940055- 77.570477	FSA0845
4	108.74	w0022	w0024	12.941566- 77.570429	12.940589- 77.570450	FSA0845
5	108.23	w0050	w0034	12.941566- 77.571180	12.940594- 77.571223	FSA0845
6	66.98	w0053	w0053	12.938518- 77.568798	12.937917- 77.568836	FSA0845

In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1381.16 Mtrs.

Laying Charge @ 600/- Mtr	8,28,696.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	1,79,550.80
Supervision Charge @ 100/- Mtr	1,38,116.00	Cess Amount @ 7.39/- Mtr	10,206.77
Sub Total (A)	9,66,812.00	Security Deposit @ Rs.50/- Mtr	69,058.00
GST @ 18% (B)	1,74,026.16	Total (C)	2,58,816.00
Grand Total (A + B + C)	13,99,654.00	and the state of	

Total Amount Payable Rs: 13,99,654.00 In words (Rupées Thirteen Lakh Ninety-Nine Thousand Six Hundred and Fifty-Four Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2021-4716

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

