

#### **BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Superintendent Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/4928/2021-22

Date: 21-01-2022

D

## Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

**Ref:** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 25-10-2021.
- 3) Opinion obtained Online from Assistant Executive Engineer Anjanapura Sub Division, Bommanahalli Zone on Dated: 10-01-2022.
- 4) Approved by Superintendent Engineer (OFC-Cell) on 13-01-2022 (Online).
- 5) Fee Demand Note letter No: 04-2021-4928, Date: 13-01-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on:21-01-2022

\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr			
01	Permission for laying of OEC by HDD Method from 1st Main via 3rd Cross up to 4th				
02	From 1st Main via Street ID No-W0334, W0335 up to W0316.	318.65 M			
03	From Street Id No-W0322 via W0367 for a length of 102.06 Mtr.	102.06 M			
04	From Street Id No-W0322 via W0365 for a length of 46.41 Mtr.	46.41 M			
05	From Street Id No-W0322 via W0361 for a length of 66.95 Mtr.	66.95 M			
06	From Street Id No-W0322 via W0351 for a length of 61.50 Mtr.	61.50 M			
07	From Street ID No-W0369 via 3rd 'A' Cross, 11th Cross for a length of 317.26 Mtr.	317.26 M			
08	From 1st Cross via street ID No-W0276 for a length of 60.91 Mtr.	60.91 M			

No: EE/OFC/PR/4928/2021-22, Dt: 21-01-2022

xecutive Engineer (OFC), BBMF

	Total	1916.67 M				
	No of Pits-05, No of Manhole-18 and No of Ducts 3, in Ward No-195, Bommanahalli Zone Ref: As per drawing enclosed.					
17	From 3rd 'A' Cross via 10th Cross for a length of 125.26 Mtr.	125.26 M				
16	From Street ID No-W0317 via 1st Cross Street ID No-W0307 up to 4th Cross.	147.61 M				
15	From 1st Cross via W0275, W0312, W0317 for a length of 97.53 Mtr.	97.53 M				
14	From Street ID No-W0325 via 1st Cross up to W0349.	127.89 M				
13	From 1st Cross via street ID No-W0271 for a length of 58.17 Mtr.	58.17 M				
12	From 1st Cross via street ID No-W0339 for a length of 33.47 Mtr.	33.47 M				
11	From 1st Cross via street ID No-W0349 for a length of 42.67 Mtr.	42.67 M				
10	From 1st Cross via street ID No-W0359 for a length of 47.64 Mtr.	47.64 M				
09	From 1st Cross via street ID No-W0363 for a length of 41.38 Mtr.	41.38 M				

The work shall be strictly taken up and completed between <u>21-01-2022</u> to <u>22-03-2022</u> and in line with conditions cited below:

## **Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

## **Conditions for HDD Method OFC laying**

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/4928/2021-22, Dt: 21-01-2022

- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/4928/2021-22, Dt: 21-01-2022

- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

## Copy to:-

- 1. Copy to the **Special Commissioner** (**Project**) for kind information.
- Copy to the Zonal Additional/Joint Commissioner (Bommanahalli Zone) for information.
- 3. Copy to Zonal Chief Engineer (Bommanahalli Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Bangalore South Division) for information.

Copy to the Concerned Assistant Executive Engineer of (Anjanapura Sub Division) for information.

- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

Executive Engineer (OFC), BBMI

No: EE/OFC/PR/4928/2021-22, Dt: 21-01-2022

# Bruhat Bengaluru Mahanagara Palike



Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell **Central Zone** 

#### Receipt (General Purpose) [para 22(1)]

Receipt Number: RE-ifms665-Ofc / 001123

DDO

: ddo665 Executive Engineer OFC Cable and Rain Water

Harvesting Cell Central Zone

Receipt Date

: 05-Feb-2022

13-Jan-2022

Ward

: 195 Konankunte

Reference

: EE/OFC/PR/4928/2021-22 / Credited

: Canara Bank, Bangalore City Corpn. E.C. (Cor)

(CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1700834.00 (Seventeen Lakh Eight Hundred Thirty Four) from

Sri/Smt M/s. Jio Digital Fiber Private Ltd,

MZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru

Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		95834.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		249167.00	
3	R0008 Misc. Deposits (RCM)		14164.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	1150002.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	191667.00	
		Total	1700834	

#### Amount received as:

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank,Mahadevpura	202215	20-Jan-2022	1605000.00
2	DD	Axis Bank,Mahadevpura	202214	20-Jan-2022	95834.00
				Total	1700834

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No. बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएर खाता सं. / क्रेडिट कार्ड सं. टेलिफोन / मोबाइल नं Tel No./Mobile No. 🐈 🗀 🎖 प्रेगाटिं। टोल नी 24 घंटे कॉल सेंटर Canara Bank Toll Free No. Bruhat Banga urwa hanagra alike Rangalury

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-4928

/DD

Date:

20-Jan-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

**Ref:** Demand Note

CE-OFC-04-2021-4928

With reference to your Demand Note bearing

CE-OFC-04-2021-4928

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on

BGLR1045

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-4928	1916.67	3	1605000	202215 Dated 20-01-22	95834	202214 Dated : 20-01-22	241500


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





- MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

20/01/2022

We are pleased to send to you Demand Draft No. as per details mentioned below.

202215

dated

PAYMENT REFERENCE



- MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

202214

20/01/2022

dated

PAYMENT REFERENCE

## JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-4928

/DD

Date

20-Jan-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

**Ref:** Demand Note

CE-OFC-04-2021-4928

With reference to your Demand Note bearing

CE-OFC-04-2021-4928

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on BGLR1045

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-4928	1916.67	3	1605000	202215 Dated 20-01-22	95834	202214  Dated: 20-01-22	241500

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701


We are pleased to send to you Demand Draft No. as per details mentioned below.

202215

20/01/2022

dated

PAYMENT REFERENCE



- Centralised Collection and Payment Hub (CCPH) Valid Until: 19042022 DATE दिनांक

COMMISSIONER BBMP BANGALORE

ISSUING BRANCH

OR ORDER / या उनके आदेश पर

Sixteen Lacs Five Thousand Only

रुपये

1,605,000.00


अदा करें Payable at par at all Branches of AXIS Bank Ltd .

202215 DD Sr. No.

Client Reference

4200008170\_104

**Under CMS Arrangement Centralised Collections & Payment Hub** Mumbai. CODE NO.



Please sign above



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701


We are pleased to send to you Demand Draft No. as per details mentioned below.

202214

20/01/2022

dated


PAYMENT REFERENCE



DD Sr. No. 202214

Client 4200008170\_103

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.
CODE NO.



Please sign above

# BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No. :04-2021-4928

PR Number(To be Assigned by AE/JE- CE-OFC-04-2021-4928

**General Information** 

Segment ID

OFC/2021-22/Z8-620/W195-56/4928

Street ID

OFC, BBMP)

**Street Name** 

Zone

Bommanahalli

Ward No.

195

**Ward Name** 

Konanakunte

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

**Registered Office Address** 

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Pin Code

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

**Penalized Details** 

No

Vat Reg No.

**GST** 

29AAECJ4213B1Z0

**Turnover for Last 3 Years** 

60

TAN

AHMJ08610A

**Application Submission Date** 

25/10/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

**Email ID** 

babu.veerabhadre@ril.com

**Local Address** 

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

**Purpose** 

**OFC** 

Phone No. 9845117017

Mobile No.

9845117017

**Attachments** 

OFC/Cable Related Information

Laying **OFC** 

Total No.of Pits(Points marked on map) Laying Method

HDD

**Likely Date of Commencement** 

Total Length (m)

No. of Cables

1916.67


2

**No.of Ducts** 

No. of Manhole

3

18



#### Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.

Security deposit will be refunded after 2 years, after field verification from BBMP


BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years

#### **Status of My Application**

Approver Name	Designation	Date
seofc01(seofc01)	SE	28/10/2021
aeb19501(aeb19501)	AE	29/10/2021
aecb05(aeeb05)	AEE	10/01/2022
seofc01(seofc01)	SE	10/01/2022
seofc01(seofc01)	SE	13/01/2022

Date: 13/01/2022 Time: 08:38:00 20220113083800

No: 04-2021-4928



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-4928

Date: 13/01/2022

## **Demand Notice**

**GST No.: 29AAALBI608FIZK** 

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2021-4928, dated: 25/10/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 1916.67 mtr. has been approved by the competent authority.

#### Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z8-620/W195-56/4928)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	317.26	LAKSHMI NIVAS	KAVYA SRI	12.885133- 77.580675	12.885049- 77.580144	BGLR1045
2	60.91	CHAMUNDE SHWAR	SIRISH	12.885655- 77.579908	12.885143- 77.580106	BGLR1045
3	41.38	SRI RENUKAMBH A	SRI CHANDRA PARMESHW ARI NILAYA	12.885598- 77.579613	12.885248- 177.579741	BGLR1045
4	47.64	PUSHKARAN E	KOLYA HOUSE	12.885520- 77.579350	12.885117- 77.579500	BGLR1045
5	42.67	PRATIBHA NIVAS	KIRANA	12.885441- 77.579071	12.885075- 77.579189	BGLR1045
6	127.89	HAYAGRIDH AMU	Shambhavi	12.885457- 77.578974	12.885002- 77.577891	BGLR1045

7	33.47	KEERTHANA	SRI SAI SIRIDI	12.885321- 77.578792	12.885033- 77.578883	BGLR1045
8	58.17	SWAPNA	VEENA	12.884542- 77.578449	12.884714- 77.578336	BGLR1045
9	147.61	S L V SYMPHONY	DEEPTHI	12.885180- 77.576845	12.884463- 77.576968	BGLR1045
10	97.53	KRISHNA VENI	Shambhavi	12.884787- 77.577553	12.884552- 77.577623	BGLR1045
11	221.31	Bharath stores	construction	12.884803- 77.580653	12.884421- 77.579194	BGLR1045
12	61.5	Beereswara nilaya	Raghavendra Nilaya	12.884437- 77.579527	12.883904- 77.579677	BGLR1045
13	66.95	sheet house	SMRITHI	12.884557- 77.579876	12.883982- 77.580058	BGLR1045
14	46.41	Mathru Krupa	sapthagiri enclave	12.884651- 77.580305	12.884249- 77.580417	BGLR1045
15	102.06	Gandada Gudi	JANARDHAN A	12.884714- 77.580611	12.883841- 77.580900	BGLR1045
16	318.65	DEVAGIRI	ashok kumar b v	12.884437- 77.578754	12.884008- 77.578996	BGLR1045
17	125.26	VAIBHAVA SHREE	pavanishree KRUPA	12.884369- 77.578508	12.883292- 77.578846	BGLR1045



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be

processed further.

#### Length of OFC proposed 1916.67 Mtrs.

Laying Charge @ 600/- Mtr	11,50,002.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,49,167.10
Supervision Charge @ 100/- Mtr	1,91,667.00	Cess Amount @ 7.39/- Mtr	14,164.19
Sub Total (A)	13,41,669.00	Security Deposit @ Rs.50/- Mtr	95,833.50
GST @ 18% (B)	2,41,500.42	Total (C)	3,59,165.00
Grand Total (A + B + C)	19,42,334.00		

Total Amount Payable Rs: 19,42,334.00 In words (Rupees Nineteen Lakh Forty-Two Thousand Three Hundred and Thirty-Four Only)

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2021-4928

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

