



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Superintendent Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/5562/2021-22

Date: 21-01-2022

1137

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 22-12-2021.
 - 3) Opinion obtained **Online from Assistant Executive Engineer -Mattikre Sub Division, West Zone on Dated: 14-01-2022.**
 - 4) Approved by Superintendent Engineer (OFC-Cell) on **14-01-2022 (Online).**
 - 5) Fee Demand Note letter No: 04-2021-5562, Date: **14-01-2022.**
 - 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: **21-01-2022.**

*_*_*_*


With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

SI No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 1st Main via 4th Cross up to 7th Cross.	131.88 M
02	From 1st Main via Street ID No-W0110 for a length of 68.51 Mtr.	68.51 M
03	From 1st Main via Street ID No-W0010, W0021 up to W0014.	103.57 M
04	From 1st Main via street ID No-W0014, W0017, W0018 up to 1st Main.	131.80 M
05	From Street ID No-W0014 via W0005 up to 8th Cross.	63.04 M
06	From 1st Main via 1st cross, 8th Cross for a length of 271.68 Mtr.	271.68 M
07	From 1st Main via 2nd Cross, 3rd 'A' Main for a length of 226.44 Mtr.	226.44 M
08	From 3rd 'A' Main Road via 2nd Cross, 4th Main for a length of 95.68 Mtr.	95.68 M
09	From 7th Cross via Street ID No-W0018, W0029, W0016 for a length of 89.94 Mtr	89.94 M

No: EE/OFC/PR/5562/2021-22, Dt: 21-01-2022

Executive Engineer (OFC), BBMP


21/1/22


Executive Engineer (OFC), BBMP

10	From Street ID No-W0016 via W0031 up to W0012.	33.06 M
11	From Street ID No-W0012 via W0033 for a length of 39.40 Mtr.	39.40 M
12	From 4th Cross via 8th Main for a length of 112.16 Mtr.	112.16 M
13	From 4th Cross via 9th Main for a length of 66.39 Mtr.	66.39 M
14	From 4th Cross via 10th Main for a length of 121.84 Mtr.	121.84 M
15	From 4th Cross via 5th Cross, 6th Cross for a length of 259.79 Mtr.	259.79 M
16	From 3rd Cross via 9th Main for a length of 41.98 Mtr.	41.98 M
No of Pits-04, No of Manhole-20 and No of Ducts 3, in Ward No-45, West Zone Ref: As per drawing enclosed.		
Total		1857.16 M

The work shall be strictly taken up and completed between **21-01-2022 to 22-03-2022** and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.

7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCO / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.

18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the **Special Commissioner (Project)** for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
3. Copy to Zonal Chief Engineer (**West Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Malleshwaram Division**) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Mattikere Sub Division**) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy

0/-



Bruhat Bengaluru Mahanagara Palike
Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell
Central Zone

Receipt
(General Purpose)
[para 22(1)]

Receipt Number : RE-ifms665-Ofc / 001094 **DDO** : ddo665 Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone
Receipt Date : 02-Feb-2022 **Ward** : 045 Malleswaram
Reference : EE/OFC/PR/5562/2021-22 / 14-Jan-2022 **Credited to** : Canara Bank, Bangalore City Corpn. E.C. (Cor) (CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1648025.00 (Sixteen Lakh Fourty Eight Thousand Twenty Five) from

Sri/Smt M/s. Jio Digital Fiber Private Ltd,
RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru
Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		92858.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		241431.00	
3	R0008 Misc. Deposits (RCM)		13724.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	1114296.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	185716.00	
Total			1648025	

Amount received as :

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank, Mahadevpura	202211	20-Jan-2022	1555167.00
2	DD	Axis Bank, Mahadevpura	202240	20-Jan-2022	92858.00
Total					1648025

for Bruhat Bengaluru Mahanagara Palike
Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

04.2021 - 5562 J.10

केन्द्रीय बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch ACC. Cat. 1.02

दिनांक / Date 21/01/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चाल खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड नं.

8401132000410

नाम / Name Comm. H. B. S. B. M. S.

टेलिफोन / मोबाइल नं
Tel No. / Mobile No.

राशि / Amount

राशि शब्दों में
Rupees in words

चेक नं. / दिनांक / शाखा का नाम Cheque No./Date / Branch	पै/P.
<u>200011</u> / <u>20/01/22</u> / <u>15</u>	<u>5167.00</u>
<u>200040</u> / <u>20/01/22</u> / <u>15</u>	<u>858.00</u>
कुल / Total	<u>6025.00</u>

Executive Engineer

अधिकारी / रोकटिका / कर्नल बैंक टो. स्की 24 घंटे कॉल सेंटर

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-5562 /DD

Date: 20-Jan-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2021-5562

With reference to your Demand Note bearing CE-OFC-04-2021-5562, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0581 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-5562	1857.16	3	1555167	202211 Dated 20-01-22	92858	202240 Dated : 20-01-22	234002

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,


for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SOA
for MA

@
2/1



135560

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

202211

20/01/2022
dated

PAYMENT REFERENCE

505562

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

202240

20/01/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-5562 /DD

Date: 20-Jan-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2021-5562

With reference to your Demand Note bearing CE-OFC-04-2021-5562, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0581 by HDD method:


Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-5562	1857.16	3	1555167	202211 Dated 20-01-22	92858	202240 Dated : 20-01-22	234002

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

20/01/2022

We are pleased to send to you Demand Draft No.
as per details mentioned below.

202211

dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 19042022

IFS CODE - UTIB0000274

DATE 2 0 0 1 2 0 2 2
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

COMMISSIONER BBMP BANGALORE

ON DEMAND PAY

OR ORDER / या उनके आदेश पर

माँगे जाने पर
Fifteen Lacs Fifty Five Thousand One Hundred Sixty Seven Only

RUPEES

रुपये

₹ 1,555,167.00

अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 202211

Client Reference 4200008170_100

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Alexander...
SSNo: 24004
Authorised Signatory

Rachin...
Authorised Signatory

Please sign above

505062

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

202240

20/01/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until 19042022

IFS CODE - UTIB0000274

DATE 2 0 0 1 2 0 2 2
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

COMMISSIONER BBMP BANGALORE

ON DEMAND PAY

OR ORDER / या उनके आदेश पर

माँगे जाने पर
Ninety Two Thousand Eight Hundred Fifty Eight Only

RUPEES
रुपये

₹ 92,858.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 202240

Client Reference 4200008170_129

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above

UHLIT FORMS PVT. LTD. MUMBAI / ULS-2010



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2021-5562

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-OFC-04-2021-5562

General Information

Segment ID

OFC/2021-22/Z2-699/W45-43/5562

Street ID

NA

Street Name

NA

Zone

West

Ward No.

45

Ward Name

Malleshwaram

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

22/12/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

4

Laying Method

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No. of Ducts

3

No. of Manhole

20

**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years **Yes**
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. **Yes**
- Security deposit will be refunded after 2 years, after field verification from BBMP **Yes**
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years **Yes**

Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE	24/12/2021
aew4501(aew4501)	AE	27/12/2021
aeew01(aeew01)	AEE	14/01/2022
seofc01(seofc01)	SE	14/01/2022
seofc01(seofc01)	SE	14/01/2022

Date : 14/01/2022

Time : 02:01:18

20220114020118



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : CE-OFC-04-2021-5562

Date: 14/01/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 04-2021-5562, dated : 22/12/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 1857.16 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z2-699/W45-43/5562)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	121.84	SHRI MANJUNATH A	SRI VENKATESH WARA NILAYA	13.027090-77.558793	13.028109-77.559206	BGLR0581
2	41.98	LAKITH	NANDISWAR A NILAYA	13.028527-77.559759	13.028177-77.559614	BGLR0581
3	66.39	SRI LAKSHMI NARASHIMA	ASHA NILAYA	13.026964-77.559121	13.027523-77.559335	BGLR0581
4	112.16	Cards and cards	SHRI SHVA SHALTHI KRUPA	13.026844-77.559432	13.027790-77.559791	BGLR0581
5	131.88	THITIKSHAA Medical	BINDU NIVAS	13.027163-77.558493	13.026713-77.559620	BGLR0581

6	68.51	somu HOUSE	SRI NANJUNDES HWARA NILAYA	13.026651- 77.558219	13.026541- 77.558842	BGLR0581
7	259.79	yegandha HOUSE	SHRE GAYATHRI FAMCY STORE	13.026285- 77.558547	13.026133- 77.559298	BGLR0581
8	103.57	Kalyan	ajay HOUSE	13.026125- 77.558036	13.026052- 77.558710	BGLR0581
9	226.44	TAILORE SHOP	HOUSE C55	13.024320- 77.557409	13.023881- 77.558793	BGLR0581
10	271.68	V R COMPLEX	Ragavendra Dry Clean	13.024665- 77.557506	13.024325- 77.558560	BGLR0581
11	63.04	savitha HOUSE	chandru HOUSE	13.025731- 77.558649	13.025177- 77.558525	BGLR0581
12	131.8	krishnarao HOUSE	SHEAKAR BUILDING	13.025726- 77.557852	13.025726- 77.558158	BGLR0581
13	33.06	MURALI NILATA	triveni house	13.025825- 77.559754	13.025532- 77.559700	BGLR0581
14	89.94	MURALI NILATA	jagan HOUSE	13.025490- 77.559437	13.025485- 77.559265	BGLR0581
15	95.68	Building 422	C551	13.024398- 77.559384	13.023776- 77.559131	BGLR0581
16	39.4	Damu HOUSE	KRISHNA	13.025731- 77.560025	13.025386- 77.559941	BGLR0581



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1857.16 Mtrs.

Laying Charge @ 600/- Mtr	11,14,296.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,41,430.80
Supervision Charge @ 100/- Mtr	1,85,716.00	Cess Amount @ 7.39/- Mtr	13,724.41
Sub Total (A)	13,00,012.00	Security Deposit @ Rs.50/- Mtr	92,858.00
GST @ 18% (B)	2,34,002.16	Total (C)	3,48,013.00
Grand Total (A + B + C)	18,82,027.00		

Total Amount Payable Rs: 18,82,027.00 In words (Rupees Eighteen Lakh Eighty-Two Thousand and Twenty-Seven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Receipt of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 04-2021-5562

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

155/5580

5580

be completed within 4 months.


Notice

Status

Letter

OFC Details

04-2021-5562



[Handwritten Signature]

[Handwritten Signature]

Assistant Executive Engineer

Executive Engineer
OFC CELL

OFC CELL

Bruhat Bengaluru Mahanagara Palike
Bangaluru