

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Superintendent Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/5910/2021-22

Date: 08-02-2022

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross,

Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

<u>Ref :-</u> 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 04-01-2021.
- 3) Opinion obtained Online from Assistant Executive Engineer -Banashankari Sub Division, South Zone on Dated: 31-01-2022.
- 4) Approved by Superintendent Engineer (OFC-Cell) on 31-01-2022 (Online).
- 5) Fee Demand Note letter No: 04-2021-5910, Date: 31-01-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on:08-02-2022.

*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

S1 No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 16th Main via 36th Cross, 15th Main, 30th Cross, 18th Main, 36th Cross up to 16th Main Road for a length of 801.01Mtr.	801.01 M
02	From 34th Cross via 16th Main up to 18th Main.	210.45 M
03	From 31st Cross via 16th main for a length of 33.86 Mtr.	33.83 M
04	From 18th Main via 31st Cross Road up to 15th Main.	134.97 M
05	From 15th Main via 33rd Cross, 13th Main up to 30th Cross.	229.01 M
06	From 15th Main via 30th Cross, 13th Main, 28th Cross up to 30th Cross.	427.02 M

No: EE/OFC/PR/5910/2021-22, Dt: 08-02-2022

J.

07	From 17th Main via 24th Cross for a length of 80.82 Mtr.	80.82 M
08	From 30th Cross via Street ID No-W0229 up to Road end.	81.54 M
	of Pits-05, No of Manhole-20 and No of Ducts 3, in Ward No-165, South Zone As per drawing enclosed.	
	Total	1998.65 M

The work shall be strictly taken up and completed between 08-02-2022 to 09-04-2022 and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.

Executive Engineer (OPC), BBMP

No: EE/OFC/PR/5910/2021-22, Dt: 08-02-2022

- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.

No: EE/OFC/PR/5910/2021-22, Dt: 08-02-2022

Executive Engineer (OFC),

20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (South Zone) for information.
- 3. Copy to Zonal Chief Engineer (**South** Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Padmanabha Nagar Division) for information.

6. Copy to the Concerned Assistant Executive Engineer of (Banashankari Sub 2) Division) for information.

- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

Executive Engineer (OFE), BBM

No: EE/OFC/PR/5910/2021-22, Dt: 08-02-2022

Bruhat Bengaluru Mahanagara Palike



Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

Receipt (General Purpose) [para 22(1)]

Receipt Number: RE-ifms665-Ofc / 001291

: ddo665 Executive Engineer OFC Cable and Rain Water

RE-ifms665-Ofc / 001291 DDO

Harvesting Cell Central Zone

Receipt Date

: 23-Feb-2022

: 165 Ganesh Mandir ward

Reference

: EE/OFC/PR/5910/2021-22 / Credited

Comment De L. D.

31-Jan-2022

to

Ward

: Canara Bank, Bangalore City Corpn. E.C. (Cor) (CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 1773583.00 (Seventeen Lakh Seventy Three Thousand Five Hundred Eighty Three) from

Fri/Smt M/s.Jio Digital Fiber Private Ltd., RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		99933.00	
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		259825.00	
3	R0008 Misc. Deposits (RCM)		14770.00	
4	R1033 Duct Services (RCM)	Ofc Laying Charges	1199190.00	
5	R1033 Duct Services (RCM)	Ofc Supervision Charges	199865.00	
		Total	1773583	

Amount received as:

SI No	Type	Bank	Chq/DD No.	Chq/DD Dt.	Amount
1	DD	Axis Bank,Mahadevpura	066487	07-Feb-2022	1673650.00
2	DD	Axis Bank,Mahadevpura	066511	07-Feb-2022	99933.00
				Total	1773583

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

N.	
	91 कार के A Camara Bank जमा पूर्वी DEPORIT / PAY IN SLIP शाखा/ Branch Extend Less दिनांक/ Date 0 8 0 & 8 0 & 8
	SB/CA/OD/CC/RD/YL/DL A/c. No. / Creati Cald (केंद्रित) केंद्रित कार्ड सं. वचत / वाल बाता / ओही / सीसी / आर्डी / मिस्त आहें। केंद्रित कार्ड सं. वचत / वाल बाता / ओही / सीसी / आरडी / मिस्त आहें। केंद्रित कार्ड सं. वचत / वाल बाता / ओही / सीसी / आरडी / सीसी / सीस
	रिलफोर्न में मोबाइल ने प्रिक्त में प्रिक्
•	चेक नं. / दिनांक तथा चेक व शाखा का नाम Cheque No.Date / Name of Bank & Branch 066487 700 82 16 73 610 066 5!!! 070 88 99 933
	Executive

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-5910

/DD

Date:

7-Feb-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-5910

With reference to your Demand Note bearing

CE-OFC-04-2022-5910

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on

BGLR0934

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2@22-5910	1998.65	3	1673650	66487 Dated 07-02-22	99933	66511 Dated : 07-02-22	251830


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO -----

COMMISSIONER BBMP BANGALORE

BY ORDER OF - -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

066487

07/02/2022 dated

PAYMENT REFERENCE



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

066511

07/02/2022 dated

PAYMENT REFERENCE

V

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-5910

/DD

Date:

7-Feb-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-5910

With reference to your Demand Note bearing

CE-OFC-04-2022-5910

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR0934

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2022-5910	1998.65	3	1673650	66487 Dated 07-02-22	99933	66511 Dated : 07-02-22	251830

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

066487

07/02/2022

dated

PAYMENT REFERENCE

XIS BANK LTD IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

DATE दिनांक

COMMISSIONER BBMP BANGALORE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

OR ORDER / या उनके आदेश पर

ON DEMAND PAY

Sixteen Lacs Seventy Three Thousand Six Hundred Fifty Only

RUPEES

रुपये

Payable at par at all Branches of AXIS Bank Ltd.

1,673,650.00

066487 DD Sr. No.

Client Reference

4200008719 65

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai. CODE NO.

SSHO: 24004 Authorised Signatory

For Axis Bank Ltd

Please sign above

			_		
١м	А	11	Т	-	١.
V)	~				,

COMMISSIONER BBMP BANGALORE

BY ORDER OF ---

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

066511

07/02/2022

dated

PAYMENT REFERENCE

AXIS	BANK	LTD	
IFS CODE	- UTIB0000274		

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

99,933.00

For Axis Bank Ltd

DATE [0 दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

ON DEMAND PAY

Ninety Nine Thousand Nine Hundred Thirty Three Only

RUPEES

रुपये

Payable at par at all Branches of AXIS Bank Ltd.

066511 DD Sr. No.

Client Reference

4200008719_89

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai. CODE NO.

SSH0: 24004 Authorised Signatory

Please sign above

BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.:04-2022-5910

PR Number(To be Assigned by AE/JE- CE-OFC-04-2022-5910 OFC, BBMP)

General Information

Segment ID

OFC/2022-23/Z3-981/W165-10/5910

Street ID

NA

Street Name

NA

Zone

South

Ward No. 165

Ward Name

Ganesh Mandiara Ward

Service Provider Category

Telecom

Organization

Pin Code

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

04/01/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

HDD

Phone No. 9845117017

Mobile No.

Attachments

9845117017

OFC/Cable Related Information

Laying OFC

Total No.of Pits(Points marked on map) Laying Method

HDD

Likely Date of Commencement

Total Length (m)

No. of Cables

2


1998.65

No.of Ducts

3

No. of Manhole

20



Declaration

I hereby accept the following terms and conditions specified by BBMP


Maintenance of the cable and road for next 2 years	Yes
Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.	Yes
Security deposit will be refunded after 2 years, after field verification from BBMP	Yes
BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years	Yes

Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE	15/01/2022
aes16501(aes16501)	AE	28/01/2022
aees06(aees06)	AEE	31/01/2022
seofc01(seofc01)	SE	31/01/2022
seofc01(seofc01)	SE	31/01/2022

Date: 31/01/2022 Time: 07:38:27 20220131073827

No: 04-2022-5910



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2022-5910

Date: 31/01/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To



Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2022-5910, dated: 04/01/2022

As per requisition shown in below table for laying of OFC by HDD method to a length of 1998.65 mtr. has been approved by the competent authority.



Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z3-981/W165-10/5910)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	801.01	10212	w0200	12.918875- 77.564512	12.919210- 77.564303	BGLR0934
2	210.45	w0255	w0253	12.919110- 77.564415	12.920276- 77.564823	BGLR0934
3	33.83	w0200	w0255	12.920303- 77.564844	12.920590- 77.564946	BGLR0934
4	134.97	w0200	w0255	12.920794- 77.564292	12.920475- 77.565494	BGLR0934
5	81.54	w0198	w0229	12.921903- 77.565016	12.921197- 77.564812	BGLR0934
6	427.02	w0190	w0237	12.921150- 77.565268	12.922127- 77.565536	BGLR0934
7	229.01	w0204	w0259	12.920690- 77.566271	12.920052- 77.566051	BGLR0934

8	80.82 w0192	w0192	12.921652-	12.921458-	BGLR0934
			77.565515	77.566234	



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1998.65 Mtrs.

Laying Charge @ 600/- Mtr	11,99,190.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,59,824.50		
Supervision Charge @ 100/- Mtr	1,99,865.00	Cess Amount @ 7.39/- Mtr	14,770.02		
Sub Total (A)	13,99,055.00	Security Deposit @ Rs.50/- Mtr	99,932.50		
GST @ 18% (B)	2,51,829.90	Total (C)	3,74,527.00		
Grand Total (A + B + C)	20,25,412.00				

and Twelve Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to No.: 04-2022-5910

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

