

### BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/6479/2022-23

Date: 19-04-2022

Permission for laying of Optical Fiber Cable

To,

# M/s. Jio Digital Fibre Private Limited,

RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

Permission for laying of O F C by HDD Method-regarding Sub:-

1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014. Ref :-

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-02-2022.
- 3) Opinion obtained Online from Assistant Executive Engineer -Basavanagudi Sub Division, South Zone on Dated: 25-03-2022.
- 4) Approved by Superintendent Engineer (OFC-Cell) on 01-04-2022 (Online).
- 5) Fee Demand Note letter No: 04-2022-6479, Date: 01-04-2022.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on:18-04-2022

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route					
01	Permission for laying of OFC by HDD Method from 2nd Main via 5th 'A' Cross up to 4th Main.	43.45 M				
02	From 2nd Main via 2nd Cross up to 5th Main.	158.84 M				
03	From 7th Cross via Street ID No-W0033 for a length of 72.81 Mtr.	72.81 M				
	of Pits-01, No of Manhole-02 and No of Ducts 3, in Ward No-154, South Zone As per drawing enclosed.  Total	275.1 M				

The work shall be strictly taken up and completed between 19-04-2022 to **18-06-2022** and in line with conditions cited below:

**Special Condition:** 

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/6479/2022-23, Dt: 19-04-2022

# Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated: 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.

No: EE/OFC/PR/6479/2022-23, Dt: 19-04-2022


executive Engineer (OFC), BBMF

- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

recutive Engineer (ORC), BB

### Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (South Zone) for information.
- 3. Copy to Zonal Chief Engineer (**South** Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Basavanagudi Division) for information.
- Copy to the Concerned Assistant Executive Engineer of (Basavanagudi Sub Division) for information.
  - 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
  - 8. Office Copy



Excutive Physineer (OFC), BBMP

No: EE/OFC/PR/6479/2022-23, Dt: 19-04-2022

# Bruhat Bengaluru Mahanagara Palike



Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell **Central Zone** 

#### Receipt (General Purpose) [para 22(1)]

Receipt Number: RE-ifms665-Ofc / 000094

DDO

: ddo665 Executive Engineer OFC Cable and Rain Water

Harvesting Cell Central Zone

Receipt Date

: 20-Apr-2022

01-Apr-2022

Ward

: 154 Basavanagudi

Reference

: EE/OFC/PR/6479/2022-23 / **Credited** 

: Canara Bank, Bangalore City Corpn. E.C. (Cor)

(CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 244121.00 (Two Lakh Fourty Four Thousand One Hundred Twenty One) from

Sri/Smt M/s.Jio Digital Fiber Private Limited

MZ ICON, No-51,Palace Road Cross, Vasanth nagar,

Bengaluru 560052

towards the following -

SI No	Name	Misc.	Amount	Remarks
1	R0007 Security Deposits (RCM)		13755.00	remarks
2	R1096 Road Cutting and Restoration Charges (OFC) (RCM)		35763.00	
3	R0008 Misc. Deposits (RCM)		2033.00	
	R1033 Duct Services (RCM)	Ofc Laying Charges	165060.00	
	R1033 Duct Services (RCM)	Ofc Supervision Charges	27510.00	
		Total	244121	

#### Amount received as:

SI No	Туре	Bank	Chq/DD No.	Cha/DD Dt	Amount
1	DD	Axis Bank,Mahadevpura		12-Apr-2022	<del> </del>
2	DD	Axis Bank,Mahadevpura		12-Apr-2022	
				Total	244121

for Bruhat Bengaluru Mahanagara Palike Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

०५ – २०२२ – ६५७९ केन्नरा बैंक 🕰 Çanara Dunk जमा पर्वी / DEPOSIT / PAY IN SLIP
शाखा/ Branch SCEXT
दिनांक/ Date 18042022
SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
वचत / चाल् खाता / ओडी / मीमी / आग्डी / टीएल / डीएल खाना मं. / क्रेडिट कार्ड मं.
84011320000
नाम/Name (१०००) १००० विकास में प्राप्त कर के अपने किया है जिए के स्वार कर किया है जिसके किया है कि स्वार कर कि
Tel No./Mobile No.
राशि /Amount 2, 44, 13 (2017)
Dunger in words TWU
किक नं / दिनांक तथा वैंक व शाखा का नाम के ति / प्र
चिक्र नं. / दिनांक नथा वैंक व शाखा का नाम तिस्त्र शि. / P. Cheque No./Date / Name of Bank & Branch
चिक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch
चिक्र नं. / दिनांक नथा वैंक न भाखा का नाम Cheque No./Date / Name of Bank & Branch  08880901: 13/04/22 230 366 -  08880701: 13/04/22 13, 755 -   08880701:
चिक्र नं. / दिनांक नथा वैंक न भाखा का नाम Cheque No./Date / Name of Bank & Branch  08880901: 13/04/22 230 366 -  08880701: 13/04/22 13, 755 -   08880701:
चिक्र नं. / दिनांक नथा वैंक व शाखा का नाम तिeque No./Date / Name of Bank & Branch 7 1/P. 0888090: 13/04/22 230 366 00 888470f: 13/04/22 13 755. 00

#### JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-6479

/DD

Date:

13-Apr-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

**Ref:** Demand Note

CE-OFC-04-2022-6479

With reference to your Demand Note bearing

CE-OFC-04-2022-6479

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

**BGLR0827** 

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2022-6479	275.1	3	230366	88809 Dated 12-04-22	13755	88847 Dated : 12-04-22	34663

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

Jr va





as per details mentioned below.

			_	_
м	Δ	11	T	n

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD,THANE

Thane-400701

We are pleased to send to you Demand Draft No.

088809

12/04/2022 dated

PAYMENT REFERENCE



MAI	L	Ю
-----	---	---

COMMISSIONER BBMP BANGALORE

BY ORDER OF ---

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

088847

dated 12/04/2022

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2022-6479

/DD

Date:

13-Apr-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4<sup>th</sup> floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2022-6479

With reference to your Demand Note bearing

CE-OFC-04-2022-6479

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR0827

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2022-6479	275.1	3	230366	88809 Dated 12-04-22	13755	88847 Dated : 12-04-22	34663

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

6,541

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF-

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

088809

12/04/2022 dated

PAYMENT REFERENCE

ISSUING BRANCH

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH) DATE [ दिनांक

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मॉॅंगे जाने पर

Two Lacs Thirty Thousand Three Hundred Sixty Six Only RUPEES

रुपये

230,366.00

DD Sr. No. 088809

Client Reference

4200000596 68

Payable at par at all Branches of AXIS Bank Ltd.

**Under CMS Arrangement** Centralised Collections & Payment Hub Mumbai. CODE NO.

For Axis Bank Ltd

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

088847

dated dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

ON DEMAND PAY

COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

Thirteen Thousand Seven Hundred Fifty Five Only

RUPEES रुपये

13,755.00

DD Sr. No. 088847 Payable at par at all Branches of AXIS Bank Ltd.

Client Reference 4200000596 106

**Under CMS Arrangement** Centralised Collections & Payment Hub Mumbai. CODE NO.

For Axis Bank Ltd Authorised Signatory

# BBMP ENGINEERING DEPARTMENT OFC Form

Application No.: 04-2022-6479

PR Number(To be Assigned by AE/JE- CE-OFC-04-2022-6479 OFC, BBMP)

**General Information** 

Segment ID

OFC/2022-23/Z3-1111/W154-12/6479

Street ID

NA

Zone

South

Ward No.

154

NA

**Ward Name** 

**Street Name** 

Basavanagudi

**Service Provider Category** 

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation 2009-10

**Registered Office Address** 

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

Pin Code

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

**Penalized Details** 

No

Vat Reg No.

**GST** 

29AAECJ4213B1Z0

**Turnover for Last 3 Years** 

60

TAN

AHMJ08610A

**Application Submission Date** 

14/02/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

**DGM** 

**Email ID** 

babu.veerabhadre@ril.com

**Local Address** 

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

**OFC** 

Phone No.

9845117017

Mobile No.

**Attachments** 

9845117017

**OFC/Cable Related Information** 

Laying **OFC** 

Total No.of Pits(Points marked on map) Laying Method

HDD

**Likely Date of Commencement** 

Total Length (m)


No. of Cables

#### **No.of Ducts**

No. of Manhole

3

2



# Declaration

I hereby accept the following terms and conditions specified by BBMP


Maintenance of the cable and road for next 2 years	Yes
Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.	Yes
Security deposit will be refunded after 2 years, after field verification from BBMP	Yes
BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years	Yes

# Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE	16/02/2022
aes15401(aes15401)	AE _	23/03/2022
aees03(aees03)	AEE	25/03/2022
seofc01(seofc01)	SE	25/03/2022
seofc01(seofc01)	SE	01/04/2022

Date: 02/04/2022 Time: 10:54:22 20220402105422

No: 04-2022-6479



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2022-6479 Date: 01/04/2022

# **Demand Notice**

**GST No.: 29AAALBI608FIZK** 

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2022-6479, dated: 14/02/2022

As per requisition shown in below table for laying of OFC by HDD method to a length of 275.1 mtr. has been approved by the competent authority.

**Details of Segments drawn on BBMP GIS Map** 

(Segment Id:-OFC/2022-23/Z3-1111/W154-12/6479)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	72.81	W0076	W0033	12.937572- 77.564925	12.936981- 77.564635	BGLR0827
2	70.93	W0110	W0110	12.935627- 77.566878	12.935619- 77.567532	BGLR0827
3	87.91	W0112	W0087	12.935538- 77.567626	12.935496- 77.568436	BGLR0827
4	43.45	W0144	W0161	12.933139- 77.567551	12.933068- 77.567945	BGLR0827



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

#### Length of OFC proposed 275.1 Mtrs.

Laying Charge @ 600/- Mtr	1,65,060.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	35,763.00
Supervision Charge @ 100/- Mtr	27,510.00	Cess Amount @ 7.39/- Mtr	2,032.99
Sub Total (A)	1,92,570.00	Security Deposit @ Rs.50/- Mtr	13,755.00
GST @ 18% (B)	34,662.60	Total (C)	51,551.00
Grand Total (A + B + C)	2,78,784.00	4	

Total Amount Payable Rs: 2,78,784.00 In words (Rupees Two Lakh seventy-Eight Thousand Seven Hundred and Eighty-Four Only)

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Reciept of Demand Draft from Nationalized Banks, for the above mentioned amount to this office

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

**Copy to** No.: 04-2022-6479

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.

