



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Superintendent Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/6600/2021-22

Date: 29-03-2022

7670
Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 25-02-2022

3) Opinion obtained **Online from Assistant Executive Engineer –Vidyaranyapura Sub Division, Yelahanka Zone on Dated: 08-03-2022.**

4) Approved by Superintendent Engineer (OFC-Cell) on **08-03-2022 (Online).**

5) Fee Demand Note letter No: 04-2022-6600, Date: **08-03-2022.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: **24-03-2022.**


*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Thindlu Main Road via Street ID No-W0441 for a length of 36.32 Mtr.	36.32 M
02	From Thindlu Main Road via Street ID No-W0453 for a length of 98.50 Mtr.	98.50 M
03	From Thindlu Main Road via Street ID No-W0202 for a length of 64.98 Mtr.	64.98 M
04	From Thindlu Main Road via Street ID No-W0288 for a length of 26.71 Mtr.	26.71 M
05	From Thindlu Main Road via Street ID No-W0137 for a length of 45.34 Mtr.	45.34 M
06	From Thindlu Main Road via Street ID No-W0439 for a length of 56.66 Mtr.	56.66 M
07	From Thindlu Main Road via Street ID No-W0272 up to Road end.	196.94 M
08	From Thindlu Main Road via Street ID No-W0270, W0208, W0268 for a length of 171.62 Mtr.	171.62 M
09	From Street ID No-W0439 via W0274 for a length of 27.28 Mtr.	27.28 M
10	From Street ID No-W0437 for a length of 85.51 Mtr.	85.51 M

No: EE/OFC/PR/6600/2021-22, Dt: 29-03-2022


Executive Engineer (OFC), BBMP


29/3/22

11	From Street ID No-W0477 via W0280, W0403 for a length of 109.90 Mtr.	109.90 M
12	From Street ID No-W0272 via W0447 for a length of 25.70 Mtr.	25.70 M
13	From Street ID No-W0208 via W0270, W0431, W0260, W0445 for a length of 472.90 Mtr.	472.90 M
14	From Street ID No-W0431 via W0260, W0429 for a length of 143.07 Mtr.	143.07 M
15	From Street ID No-W0429 via W0260, W0427 for a length of 117.91 Mtr.	117.91 M
16	From 1st Main Road via Street ID No-W0413 for a length of 40.16 Mtr.	40.16 M
17	From Street ID No-W0266 via W0417 for a length of 16.92 Mtr.	16.92 M
18	From Street ID No-W0264 via W0413, W0266 for a length of 81.70 Mtr.	81.70 M
19	From Street ID No-W0427 via W0264, W0413, W0258 for a length of 181.35 Mtr.	181.35 M
No of Pits-05, No of Manhole-20 and No of Ducts 3, in Ward No-09, Yelahanka Zone Ref: As per drawing enclosed.		
		Total
		1999.47 M

The work shall be strictly taken up and completed between 29-03-2022 to 28-05-2022 and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.

6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCO / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.

17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the **Special Commissioner (Project)** for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka Zone**) for information.
3. Copy to Zonal Chief Engineer (**Yelahanka Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Byatarayanapura Division**) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranyapura Sub Division**) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy

6600

6600
Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch *Sec Extension*

दिनांक/ Date *24 03 2022*

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चाल खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name *Omara J. Jay B.B.M.P*

टेलिफोन / मोबाइल नं.
Tel No. / Mobile No.

राशि / Amount *27774.310/-*

राशि शब्दों में
Rupees in words *Twenty seven thousand three hundred and thirty one*

चेक नं. / दिनांक / बैंक व शाखा का नाम Cheque No / Date / Name of Bank & Branch	₹	पै/P.
<i>087395, 21/03/22</i>	<i>16,74,336/-</i>	
<i>087436, 21/03/22</i>	<i>99,974/-</i>	

कुल Total *17,74,310/-*

अधिकारी / रोकड़ि
BRUHAT BANGALURU
Officer / Cashier / SWO

EXECUTIVE ENGINEER
CELL
Canara Bank Toll Free No.
MAHANAGARA PALIKE
BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2022-6600 /DD

Date: 23-Mar-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2022-6600

With reference to your Demand Note bearing CE-OFC-04-2022-6600 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0139 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2022-6600	1999.47	3	1674336	87395 Dated 21-03-22	99974	87436 Dated : 21-03-22	251933

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,


for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SOA
for ma

2/3



156600

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

087395

21/03/2022
dated

PAYMENT REFERENCE

26600

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **087436**
as per details mentioned below.

21/03/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2022-6600 /DD

Date: 23-Mar-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note CE-OFC-04-2022-6600

With reference to your Demand Note bearing CE-OFC-04-2022-6600, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0139 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2022-6600	1999.47	3	1674336	87395 Dated 21-03-22	99974	87436 Dated : 21-03-22	251933

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

116500

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

087395

21/03/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 20062022

DATE 2 1 0 3 2 0 2 2
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Sixteen Lacs Seventy Four Thousand Three Hundred Thirty Six Only

रुपये

₹ 1,674,336.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 087395

Client Reference 4200011032_84

For Axis Bank Ltd
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

NO. 26487
Base sign above

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

087436

21/03/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until 20062022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 21 03 2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES Ninety Nine Thousand Nine Hundred Seventy Four Only

रुपये

₹ 99,974.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 087436

Client Reference 4200011032_125

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorized Signatory
Authorized Signatory

Rudresha P
Please sign above
SS No. 7610

⑈087436⑈ 400211071⑈ 999983⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2022-6600

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-OFC-04-2022-6600

General Information

Segment ID

OFC/2022-23/Z7-596/W9-103/6600

Street ID

64194

Street Name

NA

Zone

Yelahanka

Ward No.

9

Ward Name

Vidyaranyaपुरa

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

25/02/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

HDD

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

5

Laying Method

HDD

Likely Date of Commencement

Total Length (m)


No. of Cables

No.of Ducts

3

No. of Manhole

20



Declaration

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years **Yes**
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. **Yes**
- Security deposit will be refunded after 2 years, after field verification from BBMP **Yes**
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years **Yes**

Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE	02/03/2022
ae901(aey901)	AE	08/03/2022
aeey05(aeey05)	AEE	08/03/2022
seofc01(seofc01)	SE	08/03/2022
seofc01(seofc01)	SE	08/03/2022



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : CE-OFC-04-2022-6600

Date: 08/03/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 04-2022-6600, dated : 25/02/2022


As per requisition shown in below table for laying of OFC by HDD method to a length of 1999.47 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2022-23/Z7-596/W9-103/6600)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	98.5	Basavasamithy Layout	Basavasamithy Layout	13.069777-77.564705	13.069644-77.564716	BGLR0139
2	36.32	Basavasamithy Layout	Basavasamithy Layout	13.069602-77.563560	13.069276-77.563557	BGLR0139
3	85.51	Basavasamithy Layout	Basavasamithy Layout	13.070303-77.564571	13.070376-77.563785	BGLR0139
4	56.66	Basavasamithy Layout	Basavasamithy Layout	13.070316-77.564166	13.069806-77.564158	BGLR0139
5	27.28	Basavasamithy Layout	Basavasamithy Layout	13.070070-77.564421	13.070104-77.564171	BGLR0139
6	45.34	Basavasamithy Layout	Basavasamithy Layout	13.070125-77.563600	13.069717-77.563611	BGLR0139
7	196.94	Basavasamithy Layout	Basavasamithy Layout	13.070472-77.565239	13.070608-77.564461	BGLR0139

8	25.7	Basavasamithy Layout	Basavasamithy Layout	13.070812-77.564751	13.070582-77.564726	BGLR0139
9	109.9	Basavasamithy Layout	Basavasamithy Layout	13.070909-77.566145	13.070940-77.565866	BGLR0139
10	64.98	Basavasamithy Layout	Basavasamithy Layout	13.069934-77.565620	13.070086-77.565040	BGLR0139
11	26.71	Basavasamithy Layout	Basavasamithy Layout	13.070339-77.565250	13.070279-77.565488	BGLR0139
12	171.62	Basavasamithy Layout	Basavasamithy Layout	13.071371-77.564466	13.071353-77.565126	BGLR0139
13	472.9	Basavasamithy Layout	Basavasamithy Layout	13.071018-77.565089	13.071026-77.564372	BGLR0139
14	143.07	Basavasamithy Layout	Basavasamithy Layout	13.072239-77.563938	13.072283-77.563662	BGLR0139
15	117.91	Basavasamithy Layout	Basavasamithy Layout	13.072288-77.563654	13.072335-77.563375	BGLR0139
16	181.35	Basavasamithy Layout	Basavasamithy Layout	13.071813-77.563321	13.072022-77.562270	BGLR0139
17	81.7	Basavasamithy Layout	Basavasamithy Layout	13.072006-77.562270	13.071724-77.562221	BGLR0139
18	40.16	Basavasamithy Layout	Basavasamithy Layout	13.071708-77.562227	13.071358-77.562135	BGLR0139
19	16.92	Basavasamithy Layout	Basavasamithy Layout	13.071630-77.562479	13.071484-77.562436	BGLR0139



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form

of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1999.47 Mtrs.


Laying Charge @ 600/- Mtr	11,99,682.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,59,931.10
Supervision Charge @ 100/- Mtr	1,99,947.00	Cess Amount @ 7.39/- Mtr	14,776.08
Sub Total (A)	13,99,629.00	Security Deposit @ Rs.50/- Mtr	99,973.50
GST @ 18% (B)	2,51,933.22	Total (C)	3,74,681.00
Grand Total (A + B + C)	20,26,243.00		

Total Amount Payable Rs: 20,26,243.00 In words (Rupees Twenty Lakh Twenty-Six Thousand Two Hundred and Forty-Three Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions within 7 days after the Receipt of Demand Draft from Nationalized Banks, for the above mentioned amount to this office



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to


No.: 04-2022-6600

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC Details



ASSISTANT EXECUTIVE ENGINEER

EXECUTIVE ENGINEER

29/3

BENGALURU
BRUHAT BENGALURU MAHANAGARA PALIKE
OFC CELL
ASSISTANT EXECUTIVE ENGINEER

BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU

BRUHAT BENGALURU MAHANAGARA PALIKE