



## BRUHAT BENGALURU MAHANAGARA PALIKE

No: DCF/PR:198/2022-23

Office of the  
Deputy Conservator of Forests,  
Bruhat Bengaluru Mahanagara Palike  
N.R Square, Bangalore

Date: 19.10.2022

### OFFICIAL MEMORANDUM

Sub: Permission regarding Translocation and Removal of trees which are standing at the Project Area from Nelagadaranahalli Road to Ganga International School for “Widening of Tumkur Road” Bengaluru – reg

Ref: a. ಕಾ.ಪಾ.ಅ/ರ.ಮೂ.ಸೌ/ದಾ.ಹಳ್ಳಿ/ಪಿ.ಆರ್/249/21-22 dtd 24.03.2022 of AEE, RID, BBMP  
b. Member Secretary, TEC and ACF Letter No. ACF/P50A/2022-23 dtd 18.10.2022 along with Report and Proceedings of Tree Expert Committee

\* \* \* \* \*

#### **Preamble:**

The Assistant Executive Engineer, Road Infrastructure Development, Dasarahalli Zone, BBMP (AEE, RID, BBMP) vide their letter cited under reference (a) above, has sought permission for clearance of 198 number of trees which are standing at Project area from Nelagadaranahalli Road to Ganga International School, Bengaluru.

As such Public Notice dated 30.04.2022 was issued by the Tree Officer & DCF, BBMP as per Section 8 (3) of the Karnataka Preservation of Trees Act 1976 (as amended in 2015) with the intention to invite objections/remarks from public.

In response to the public notice, one suggestion/objection was received from public within the stipulated dates. The Tree Officer has reported that the objection/suggestion relate to the Official Memorandum released containing the description of trees, species, location, area map, etc., wherein the objector has remarked that after detailed search of the BBMP Website, the above mentioned tree details are not available. Further the objector has also stated that the tree felling request has been made by the AEE, BBMP and the permission for tree felling is to be accorded by the DCF, BBMP, both coming under the purview of BBMP. The objector opines that legally it is important that an independent authority/committee looks into the application of tree felling for the project in question. In this context, the Tree Officer has remarked that on verification of the BBMP website, the details such as tree species, location, maps etc., as mentioned in the Public Notice are all uploaded. Further he expresses that the Tree Officer & DCF, BBMP comes under the administrative control of BBMP for development activities but so far as regulatory functions are concerned, the DCF, BBMP is governed by KPT Act, KF Act and Rules etc.. Besides this, the Tree Officer and DCF, BBMP takes decisions based on the recommendations of Tree Expert Committee constituted by GOK on the Orders of the Hon'ble High Court of Karnataka in matters related to standing trees.

The Tree Officer remarked that the first priority of the Forest authorities will be to save and retain more number of trees at the spot and in case that is not possible, the next option would be translocation of such trees which fulfill the desired criteria and felling of the trees has to be last resort. The Compensatory Afforestation would involve planting of saplings duly following the norms of 10 saplings to be planted in lieu of each tree translocated/felled.

In this context, the Field Forest Officers conducted the spot inspection on 17.05.2022, the ACF/DCF visited the area on 20.05.2022, and then TEC visited the areas and conducted field Inspection on 09.07.2022, duly examining all the trees besides having discussions with the Project Engineers.

The Field Inspection Report was tabled during the TEC meeting held on 26.08.2022 and detailed discussions were held.

- i. The primary objective of the TEC was to retain-on-site as many trees as possible.
- ii. In case the trees are falling within the project activity area and their removal becomes inevitable, the next option for TEC was for translocation of trees depending upon its general condition and its location so that the extraction of root ball of adequate size becomes feasible.
- iii. The felling of trees has to be the last resort and that has to be done very judiciously in a prudent manner.

Based on the records/documents produced by RID, BBMP followed by thorough scrutiny of the same and detailed discussions of the field inspection reports which were prepared after examination of each and every tree, the following order is issued.

### **ORDER**

Under the circumstances explained above and in exercise of the powers vested with the undersigned as per Section 8 (3) of Karnataka Preservation of Trees Act, 1976 and based on the guidelines and decisions taken as per the Field Inspection Report and Proceedings of the Meeting dated 26.08.2022 of the TEC for retention-on-site, translocation, and removal of trees which fall in RID, BBMP Project Area from Nelagadarahanahalli Road to Ganga International School, the below mentioned schedule is approved subject to the conditions mentioned thereon. This Order will come into effect after fifteen (15) days from the date of uploading of the order on the Official website of BBMP and for that purpose separate directions will be issued from this Office.

### **SCHEDULE**

1. The Five (05) trees which are listed in Annexure A appended to this Official Memorandum have to be retained-on-site. Hence, permission is declined to remove the said 05 trees and they should continue to stand at their present locations.
2. Based on the considerations as stated above and also detailed in the Report, the Thirteen (13) trees which are listed with justification, enclosed to this Official Memorandum as Annexure B have to be translocated. Hence permission is accorded to translocate the said 13 trees to suitable places as mentioned below in the 'Conditions'.

3. The remaining One Hundred and Eighty (180) trees only which are listed with justification, enclosed to this Official Memorandum as Annexure C can be removed. Hence permission is accorded for removal of these said 180 trees only as per the felling of trees norms adopted by Karnataka Forest Department (KFD).

### **Conditions**

1. No damage should be caused to the trees which are retained on the spot, while carrying out the civil works or any project related works.
2. The trees which are retained-on-site have to be properly protected and maintained. Accordingly RID, BBMP should give an assurance in this respect.
3. The translocation of trees should be done at suitable vacant space at nearby BBMP Park, 5<sup>th</sup> Block, Venugopal Nagar, HMT Layout, Bengaluru in collaboration with the DCF, BBMP.
4. The Persons/Agencies who are entrusted with translocation works should have sufficient knowledge and experience in such works.
5. The work of translocation of trees has to be executed under close supervision of Officials/Officers of Forest Wing of BBMP and according to the formulated guidelines of UAS, Bengaluru.
6. The trees so translocated have to be properly maintained and taken care of, for a minimum period of three years.
7. The entire process of translocation of trees has to be properly documented and records compiled in a systematic manner.
8. In lieu of the trees translocated and felled, 10 healthy and heighted saplings have to be planted in lieu of each tree either translocated or felled. The saplings have to be planted as per forestry practices and maintained for a minimum period of three years. Photographs and proper documentation has to be there for saplings/seedlings planted.
9. Regular monitoring must be done to ensure the conducive growth of translocated trees and planted saplings/seedlings.

  
Tree Officer and

Deputy Conservator of Forests  
Bruhat Bengaluru Mahanagara Palike,  
Bengaluru

### **Copy to:**

1. The Assistant Executive Engineer, Road Infrastructure Department, Dasarahalli Zone, Bengaluru
2. The Chairman, Tree Authority and Chief Conservator of Forests, Bangalore Circle, Bangalore for kind information
3. The Member Secretary – Tree Expect Committee, and the Assistant Conservator of Forests, BBMP for information and further action.
4. The Assistant Conservator of Forests, BBMP for information and further action
5. The Range Forest Officer/Deputy Range Forest Officers for information and further action
6. Office Copy



## Retention of Trees

Application No. : ಕಾಪಾಲ/ರಮೂಸೌ-ದಾ.ಹಳ್ಳಿ/ಪಿಆರ್/249/2021-22 dtd 24.03.2022

Project Area : Widening of Tumkur Road from Nelagadaranahalli Cross to Ganga International School, Bengaluru

Sl. No.	Tree No.	Tree Species Name	Girth	Height	Justification
1	139	Rain tree	1.6	3.00	Tree is coming on the edge of the proposed project alignment. It can be retained by shifting the alignment.
2	152	Honge	0.62	3.00	Tree is coming on the edge of the proposed project alignment. It can be retained by shifting the alignment.
3	153 153A	Honge	1.10 0.75	1.5 1.00	Tree is coming on the edge of the proposed project alignment. It can be retained by shifting the alignment.
4	154 154A 154B 154C	Honge	0.80 0.75 0.78 0.76	1.00 1.00 1.00 1.00	Tree is coming on the edge of the proposed project alignment. It can be retained by shifting the alignment.
5	155 155A	Butterfruit	0.3 0.35	3 2	Tree is coming on the edge of the proposed project alignment. It can be retained by shifting the alignment.
<b>Total trees for Retention = 5 Nos.</b>					

  
 Tree Officer &

Deputy Conservator of Forests  
BBMP, Bangalore.



## Transplantation of Trees

Application No. : ಕಾಪಾಲ/ರಮೂಸೌ-ದಾ.ಹಳ್ಳಿ/ಪಿಆರ್/249/2021-22 dtd 24.03.2022 .

**Project Area : Widening of Tumkur Road from Nelagadaranahalli Cross to Ganga International School, Bengaluru**

Sl. No.	Tree No.	Tree Species Name	Girth	Height	Justification
1	1	Kadubadami	0.36	1.5	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
2	59	Honge	0.25	1.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
3	69	Hunse	0.68	1.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
4	81	Honge	0.20	1.50	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
5	83	Holedasavala	0.38	2.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
6	113	Tabebuia rosea	0.50	2.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
7	114	Tabebuia rosea	0.45	2.50	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
8	129	Hoovarshi	0.32	2.50	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
9	130	Mahagony	0.4	3.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.

10	140	Honge	0.35	1.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
11	145	Tabebuia rosea	0.45	2.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
12	146	Tare	0.2	1.50	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
13	191	Kadamba	0.5	3.00	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
<b>Total trees for Translocation = 13 Nos.</b>					

  
Tree Officer &

Deputy Conservator of Forests  
BBMP, Bangalore.



## Felling of Trees

Application No. : ಕಾಪಾಲ/ರಮೂಸೌ-ದಾ.ಹಳ್ಳಿ/ಪಿಆರ್/249/2021-22 dtd 24.03.2022

**Project Area : Widening of Tumkur Road from Nelagadaranahalli Cross to Ganga International School, Bengaluru**

Sl. No.	Tree No.	Tree Species Name	Girth	Height	Justification
1	2	Honge	0.5	2	Tree is coming within the project alignment. Tree branches were pruned & not healthy, recommended for felling.
2	3	Cherry	0.55	2	Tree is coming within the project alignment. Tree is pruned and having galls, not healthy. Recommended for felling.
3	4	Cherry	0.55	1.5	Tree is coming within the project alignment. Tree is pruned and having galls, not healthy. Recommended for felling.
4	5	Cherry	0.2	1.5	Tree is coming within the project alignment. Tree is pruned and having galls, not healthy. Recommended for felling.
5	6	Honge	0.48	1	Tree is coming within the project alignment. Tree is pruned and situated near to the drain, hence required root ball is not possible. Recommended for felling.
6	7	Honge	0.2	1	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.
7	8	Honge	0.35	1.5	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.
8	9	Honge	0.24	0.5	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.
9	10	Honge	0.25	1	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.
10	11	Honge	0.2	1	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.
11	12	Honge	0.3	1	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.
12	13	Honge	0.25	1	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.
13	14	Honge	0.25	0.5	Tree is coming within the project alignment. Tree is pruned and multi forked. Recommended for felling.

14	15	Mahagony	0.38	3	Tree is coming within the project alignment. Tree is young, situated near to the drain, hence required root ball is not possible. Recommended for felling.
15	16	Spethodea	1.2	5	Tree is coming within the project alignment. Tree is situated near to the drain, hence required root ball is not possible. Recommended for felling.
16	17	Spethodea	1.5	2	Tree is coming within the project alignment. Tree is situated near to the drain, hence required root ball is not possible. Recommended for felling.
17	18	Hunse	1.4	2	Tree is coming within the project alignment. Tree is situated near to the drain, hence required root ball is not possible. Recommended for felling.
18	19	Bevu/neem	1.8	3	Tree is coming within the project alignment. Tree is matured, branch cut, not in healthy condition. Recommended for felling.
19	20 20A	Hunse	1.3	2	Tree is coming within the project alignment. Tree is matured, forked and situated on the drain. Recommended for felling.
			1.1	2	
20	21	Hunse	1.1	2.5	Tree is coming within the project alignment. Tree is matured, forked and situated on the drain. Recommended for felling.
21	22	Bevu/neem	0.95	3	Tree is coming within the project alignment. Tree is bended, bark damaged and not in healthy condition. Recommended for felling.
22	23	Seeme Jali	1.1	5	Tree is coming within the project alignment. Tree is bended, bark damaged and not in healthy condition. Recommended for felling.
23	24	Bevu/neem	0.5	2.5	Tree is coming within the project alignment. Tree is bended, bark damaged and not in healthy condition. Recommended for felling.
24	25	Bevu/neem	2.2	4	Tree is coming within the project alignment. Tree is bended, bark damaged and not in healthy condition. Recommended for felling.
25	26	Bevu/neem	1	2	Tree is coming within the project alignment. Tree is bended, forked, bark damaged and not in healthy condition. Recommended for felling.
26	27	Bela	1.3	1.5	Tree is coming within the project alignment. Tree is bended, forked, bark damaged and not in healthy condition. Recommended for felling.

27	28	Bevu/neem	1.5	6	Tree is coming within the project alignment. Tree is matured, bark damaged and not in healthy condition. Recommended for felling.
28	29	Hunse	1.8	1	Tree is coming within the project alignment. Tree is matured, bark damaged and not in healthy condition. Recommended for felling.
29	30	Bevu/neem	1.55	4	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.
30	31	Bela	1.5	2	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.
31	32	Bevu/neem	2	5	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.
32	33	Hunse	1	1.5	Tree is coming within the project alignment. Tree is bended, forked, bark damaged and not in healthy condition. Recommended for felling.
33	34	Bevu/neem	2	5	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.
34	35	Bevu/neem	1.3	4	Tree is coming within the project alignment. Tree is bended, forked, bark damaged and not in healthy condition. Recommended for felling.
35	36	Bevu/neem	0.5	3	Tree is coming within the project alignment. Tree is bended, forked, bark damaged and not in healthy condition. Recommended for felling.
36	37	Nilgiri	1.3	8	Tree is coming within the project alignment. Tree is matured recommended for felling.
37	38	Bela	1	1.5	Tree is coming within the project alignment. Tree is matured and not in healthy condition. Recommended for felling.
38	39	Bevu/neem	1.5	3	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.
39	40	Bevu/neem	1.5	3	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.

40	41	Bevu/neem	1.25	2	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.
41	42 42A	Bevu/neem	1	4	Tree is coming within the project alignment. Tree is matured, forked, bark damaged and not in healthy condition. Recommended for felling.
			1.5	4	
42	43	Bevu/neem	1.45	3	Tree is coming within the project alignment. Tree is matured and not in healthy condition. Recommended for felling.
43	44	Bevu/neem	1.2	4	Tree is coming within the project alignment. Tree is matured, bark damaged and not in healthy condition. Recommended for felling.
44	45	Nilgiri	1.9	8	Tree is coming within the project alignment. Tree is matured and recommended for felling.
45	46	Nilgiri	1.7	2.5	Tree is coming within the project alignment. Tree is matured and recommended for felling.
46	47	Nilgiri	1.5	6	Tree is coming within the project alignment. Tree is matured and recommended for felling.
47	48	Cherry	0.55	3	Tree is coming within the project alignment. Tree is forked canker, not healthy. Recommended for felling.
48	49	Arali	0.3	1.5	Tree is coming within the project alignment. Tree canopy cut, not healthy. Recommended for felling.
49	50	Cherry	0.35	1	Tree is coming within the project alignment. Tree is forked & bended, not healthy. Recommended for felling.
50	51	Honge	0.4	1	Tree is coming within the project alignment. Tree is forked canker, not healthy. Recommended for felling.
51	52	Honge	0.3	1	Tree is coming within the project alignment. Tree is forked canker, not healthy. Recommended for felling.
52	53	Honge	0.4	2.5	Tree is coming within the project alignment. Tree is forked canker, not healthy. Recommended for felling.
53	54	Kadamba	1.47	2.5	Tree is coming within the project alignment. Tree is forked canker, not healthy. Recommended for felling.
54	55	Silver oak	1.4	5	Tree is matured and coming within the project alignment. Recommended for felling.

55	56	Silver oak	1.5	6	Tree is matured and coming within the project alignment. Recommended for felling.
56	57	Honge	0.3	1.25	Tree is coming within the project alignment. Tree is forked canker, not healthy. Recommended for felling.
57	58	Bevu/neem	0.9	2	Tree is coming within the project alignment. Tree is forked canker, not healthy. Recommended for felling.
58	60	Coconut	0.8	7	Tree is coming within the project alignment. Recommended for Felling.
59	61	Bevu/neem	1.16	5	Tree is coming within the project alignment. Recommended for felling.
60	62	Coconut	0.98	7	Tree is coming within the project alignment. Recommended for felling.
61	63	Bevu/neem	1.3	3.5	Tree is matured and coming within the project alignment. Recommended for felling.
62	64	Neem	0.6	2.5	Tree is coming within the project alignment and forked Recommended for felling.
63	65	Bilwara	0.78	4	Tree is coming within the project alignment. Tree bark is damaged and not healthy. Recommended for felling.
64	66	Bevu/neem	0.68	1.5	Tree is coming within the project alignment. Bark is damaged, not healthy. Recommended for felling.
65	67	Bilwara	1.42	2	Tree is coming within the project alignment. Tree is matured and bark damaged. Recommended for felling
66	68	Atti	0.49	1	Tree is coming within the project alignment. Tree is coming on the drain, required root ball is not possible. Recommended for felling.
67	70	Gliricidia	0.76	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
68	71	Peltophorum	1.51	2	Tree is coming within the project alignment. Tree is situated on the drain and required root ball is not possible. Recommended for felling
69	72	Rain tree	1.48	3	Tree is coming within the project alignment. Tree is matured and bended. Recommended for felling.
70	73	Halasu	1.4	2	Tree is coming within the project alignment. Tree is matured, required root ball not possible. Recommended for felling.
71	74 74A	Rain tree	1.6	3	Tree is coming within the project alignment. Tree is matured and forked, recommended for felling.
			1.6	2.5	

72	75	Mango	0.92	3	Tree is coming within the project alignment. Tree is situated on the drain and required root ball is not possible. Recommended for felling.
73	76	Halasu	3	2	Tree is coming within the project alignment. Tree is matured, recommended for felling.
74	77	Cherry	0.5	1.5	Tree is coming within the project alignment. Tree is bended and cut. Recommended for felling.
75	78	Huvarasi	0.4	1.5	Tree is coming within the project alignment. Tree bark is damaged and not healthy. Recommended for felling.
76	79	Nerale	1.5	2.5	Tree is coming within the project alignment. Tree is matured, recommended for felling.
77	80	Honge	0.3	1.5	Tree is coming within the project alignment. Tree is bended and forked. Recommended for felling.
78	82 82A	Honge	0.36	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.3	1.5	
79	84	Honge	0.8	2.5	Tree is coming within the project alignment. Tree is bended and knots, recommended for felling.
80	85	Honge	1.2	2	Tree is coming within the project alignment. Tree is bended and knots, recommended for felling.
81	86	Honge	0.8	2	Tree is coming within the project alignment. Tree is bended and knots, recommended for felling.
82	87	Basavanapada	1.2	2	Tree is coming within the project alignment. Tree is matured and infected with termítes. Recommended for felling.
83	88	Honge	0.33	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
84	89 89A	Honge	0.5	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.4	2	
85	90 90A	Honge	0.65	1.15	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.6	0.5	
86	91	Honge	0.8	4	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
87	92	Honge	1.38	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.

88	93	Honge	1.1	2.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
89	94	Honge	1	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
90	95	Honge	0.9	3	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
91	96	Honge	1.3	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
92	97	Honge	1.34	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
93	98	Honge	1.1	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
94	99	Honge	1.06	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
95	100	Honge	1.1	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
96	101	Honge	1.1	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
97	102	Sampige	0.5	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
98	103	Honge	0.45	3	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
99	104	Honge	0.3	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
100	105	Honge	-0.7	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
101	106	Honge	0.6	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
102	107	Honge	0.7	3	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
103	108	Honge	0.9	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
104	109	Honge	0.8	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.

105	110	Honge	0.7	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
106	111	Honge	0.45	3	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
107	112	Honge	1.15	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
108	115 115A	Honge	0.5	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.3	1.5	
109	116	Honge	0.75	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
110	117	Honge	0.7	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
111	118	Honge	0.9	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
112	119	Honge	0.7	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
113	120	Honge	0.7	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
114	121	Tabebuia rosea	0.4	1	Tree is coming within the project alignment. Tree is bended not healthy. Recommended for felling.
115	122	Honge	1	2.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
116	123	Honge	0.35	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
117	124	Tabebuia rosea	0.35	1.5	Tree is coming within the project alignment. Tree is young and healthy, recommended for Transplantation.
118	125 125 A	Honge	0.4	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.3	0.5	
119	126	Tabebuia rosea	0.7	1.5	Tree is coming within the project alignment. Tree bark is damaged and not healthy. Recommended for felling.
120	127 127 A 127 B	Honge	0.44	2	Tree is coming within the project alignment. Tree is multi-forked, recommended for felling
			0.35	1.5	
			0.35	3	



121	128 128A	Gulmohar	0.5	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.4	1.5	
122	131	Honge	0.8	3	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
123	132	Honge	1.75	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
124	133	Honge	0.85	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
125	134	Honge	1	2	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
126	135	Honge	1.1	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
127	136	Halasu	2.5	2	Tree is coming within the project alignment. Tree is matured, recommended for felling.
128	137	Halasu	4	1	Tree is coming within the project alignment. Tree is matured, recommended for felling.
129	138	Nerale	0.65	3	Tree is coming within the project alignment. Tree bark is damaged and not healthy. Recommended for felling.
130	141 141A	Honge	0.5	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.2	1	
131	142 142A	Honge	0.35	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.15	1	
132	143	Honge	0.4	2	Tree is coming within the project alignment. Tree is bended and not healthy. Recommended for felling
133	144	Honge	0.3	2	Tree is coming within the project alignment. Tree is bended and not healthy. Recommended for felling
134	147	Cherry	0.4	2	Tree is coming within the project alignment. The tree is cut and bended. Recommended for felling.
135	148	Coconut	0.7	8	Tree is coming within the project alignment, recommended for felling.
136	149	Coconut	0.8	9	Tree is coming within the project alignment., recommended for felling.
137	150	Peltophorum	1.1	2	Tree is coming within the project alignment. Tree branch is damaged and pruned, recommended for felling.

138	151	Honge	1.25	1.5	Tree is coming within the project alignment. The tree branch cut and pruned. Recommended for felling.
139	156 156A	Rain tree	1.5	3	Tree is coming within the project alignment. Tree is forked and matured. Recommended for felling.
			1.8	2.5	
140	157	Coconut	0.85	10	Tree is coming within the project alignment, recommended for felling.
141	158	Echalu	0.8	6	Tree is coming within the project alignment, recommended for felling.
142	159 159A	Jacaranda	0.6	2	Tree is coming within the project alignment. Tree is bended and forked. Recommended for felling.
			0.98	1.5	
143	160	Hebbevu	2	4	Tree is coming within the project alignment. Tree is matured, recommended for felling.
144	161	Honge	0.9	1	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
145	162 162A	Ashoka	0.45	4	Tree is coming within the project alignment. Tree is forked and bended, recommended for felling.
			0.65	5	
146	163	Coconut	0.85	10	Tree is coming within the project alignment.
147	164	Kadubadami	1.15	3	Tree is coming within the project alignment. Tree is near to drain and not healthy. Recommended for felling.
148	165 165A	Honge	0.85	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			0.7	4	
149	166	Coconut	0.65	5	Tree is coming within the project alignment, recommended for felling.
150	167	Coconut	0.75	4	Tree is coming within the project alignment, recommended for felling.
151	168	Coconut	0.9	4	Tree is coming within the project alignment, recommended for felling.
152	169	Coconut	0.92	4	Tree is coming within the project alignment, recommended for felling.
153	170	Coconut	0.7	3	Tree is coming within the project alignment, recommended for felling.
154	171	Coconut	0.7	5	Tree is coming within the project alignment, recommended for felling.
155	172	Coconut	0.75	10	Tree is coming within the project alignment, recommended for felling.
156	173	Coconut	0.65	4	Tree is coming within the project alignment, recommended for felling.
157	174	Coconut	0.75	12	Tree is coming within the project alignment, recommended for felling.
158	175	Bevu/neem	1.3	2	Tree is coming within the project alignment, recommended for felling.

159	176	Coconut	0.7	8	Tree is coming within the project alignment, recommended for felling.
160	177	Coconut	0.75	10	Tree is coming within the project alignment, recommended for felling.
161	178 178A	Honge	0.4	1.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
			1	2.5	
162	179	Honge	0.6	1.5	Tree is coming within the project alignment. Tree bark is damaged and not healthy. Recommended for felling.
163	180	Kadamba	1.15	2.5	Tree is coming within the project alignment. Tree is on the drain, recommended for felling.
164	181	Kadamba	1.15	2.5	Tree is coming within the project alignment. Tree is on the drain, recommended for felling.
165	182	Kadamba	1	3	Tree is coming within the project alignment.
166	183	Peltophorum	1.2	3	Tree is coming within the project alignment, tree canopy is cut and recommended for felling.
167	184	Kadamba	0.45	1	Tree is coming within the project alignment. The bark is damaged and not healthy. Recommended for felling.
168	185	Kadamba	1.3	2.5	Tree is coming within the project alignment. Tree roots are damaged and recommended for felling.
169	186	Spethodea	1	3	Tree is coming within the project alignment. Tree bark is damaged and not healthy. Recommended for felling.
170	187	Honge	0.6	3	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
171	188	Honge	0.75	2.5	Tree is coming within the project alignment. Tree is forked and bended. Recommended for felling.
172	189	Coconut	0.85	10	Tree is coming within the project alignment, recommended for felling.
173	190	Coconut	0.88	12	Tree is coming within the project alignment, recommended for felling.
174	192	Peltophorum	0.3	2	Tree is coming within the project alignment. Tree is bended, not healthy. Recommended for felling,
175	193	Peltophorum	0.3	2.5	Tree is coming within the project alignment. Tree is bended, not healthy. Recommended for felling,
176	194	Peltophorum	1.2	3	Tree is coming within the project alignment. Tree is matured and bended. Recommended for felling.

177	195	Peltophorum	1.6	3.5	Tree is coming within the project alignment. Tree is matured, recommended for felling.
178	196	Peltophorum	1.8	3.2	Tree is coming within the project alignment. Tree is matured and recommended for felling.
179	197	Cherry	0.6	2	Tree is coming within the project alignment. Tree is cut and canopy pruned. Recommended for felling.
180	198	Neem	1	3	Tree is coming within the project alignment, recommended for felling.
<b>Total trees for Felling = 180 Nos.</b>					

  
Tree Officer &

Deputy Conservator of Forests  
BBMP, Bangalore.