



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the
Deputy Conservator of Forests,
Bruhat Bengaluru Mahanagara Palike
N.R Square, Bangalore

No: DCF/PR.-1326 /2023-24

Date: 09.11.2023

OFFICIAL MEMORANDUM

- Sub: Permission regarding Translocation and Removal of trees which are standing at the Project Area for **Rail Land Development Authority (RLDA) Project**, Bengaluru – reg
- Ref: a. JGM/Projects, RLDA Application No. RLDA/Project/Bangalore/Consultancy/Monetization of KRIDE Projects/2356 dtd 28.07.2023
b. Member Secretary, TEC and ACF letter No. ACF-North/PR 44 /2023-24 dtd 06.11.2023 along with TEC Report and Proceedings of Tree Expert Committee

* * * * *

Preamble:

The Joint General Manager/Project, Rail Land Development Authority (RLDA), Bengaluru vide their letter cited under reference (a) above, has sought permission for clearance of 129 number of trees which are standing at the Project area at MG Railway Colony Area. Bengaluru for RLDA project work of “**Construction of 132 Nos. of Railway Quarters**”.

As such Public Notice dated 07.08.2023 was issued by the Tree Officer & DCF, Bruhat Bengaluru Mahanagara Palike as per Section 8 (3) of the Karnataka Preservation of Trees Act 1976 (as amended in 2015) with the intention to invite objections/remarks from public.

In response to the public notice, no objections/suggestions have been received from public within the stipulated dates. The Tree Officer, BBMP has reported that even though no objections/suggestions have been received from the public, the procedures as stipulated under the Government Acts and Rules are being followed besides duly obeying the directives of the Hon'ble High Court of Karnataka.

Further, the Tree Officer, BBMP also emphasized that the first priority of the Forest authorities will be to save and retain more number of trees at the spot/site and in case that is not possible, the next option would be translocation of such trees which fulfill the desired criteria like having suitable girth, satisfactory status/health condition of the tree, feasibility of root-ball excavation of appropriate size and felling of the trees has to be last resort. The Compensatory Afforestation would involve planting of saplings duly following the norms of 10 saplings to be planted in lieu of each tree translocated/felled (i.e., in the ratio 1:10).

In this context, the Field Forest Officers, BBMP conducted the spot inspections on 31.07.2023, the ACF/DCF visited the areas on 24.08.2023, and then TEC visited the areas and conducted field Inspections on 13.09.2023, duly examining all the trees besides having discussions with the Project Engineers.

The Field Inspection Report was tabled during the TEC meeting held on 16.09.2023 and detailed discussions were held.

- i. The primary objective of the TEC was to retain-on-site as many trees as possible.
- ii. In case the trees are falling within the project activity area and their removal becomes inevitable, the next option for TEC was for translocation of trees depending upon its general condition and its location so that the extraction of root ball of adequate size becomes feasible.
- iii. The felling of trees has to be the last resort and that has to be done very judiciously in a prudent manner.

Based on the records/documents produced by RLDA, followed by thorough scrutiny of the same and detailed discussions of the field inspection reports which were prepared after examination of each and every tree, the following order is issued.

ORDER

Under the circumstances explained above and in exercise of the powers vested with the undersigned as per Section 8 (3) of Karnataka Preservation of Trees Act, 1976 and based on the guidelines and decisions taken as per the Field Inspection Report and Proceedings of the Meeting dated 16.09.2023 of the TEC for retention-on-site, translocation, and removal of trees which fall in the Project area at MG Railway Colony Area, Subash Nagar, Bengaluru, the below mentioned schedule is approved subject to the conditions mentioned thereon. This Order will come into effect after fifteen (15) days from the date of uploading of the order on the Official website of BBMP and for that purpose separate directions will be issued from this Office.

SCHEDULE

1. The Eight (08) trees which are listed with justification, enclosed to this Official Memorandum as Annexure A have to be retained-on-site. Hence permission is declined to remove the above said 08 trees and they should continue to stand at their present locations.
2. Based on the considerations as stated above and also detailed in the Report, the Forty Nine (49) trees which are listed with justification, enclosed to this Official Memorandum as Annexure B have to be translocated. Hence permission is accorded to translocate the said 49 trees to suitable places as mentioned below in the 'Conditions'.
3. The remaining Eighty One (81) trees only which are listed with justification, enclosed to this Official Memorandum as Annexure C can be removed. Hence permission is accorded for removal of these said 81 trees only as per the felling of trees norms adopted by Karnataka Forest Department (KFD).

Conditions

1. No damage should be caused to the trees which are retained on the spot, while carrying out the civil works or any project related works.
2. The trees which are retained-on-site have to be properly protected and maintained. Accordingly RLDA should give an assurance in this respect.
3. The translocation of trees should be done at the following proposed locations in collaboration with the DCF, BBMP. As per your letter cited under ref. (c), no other developmental activity has to be carried out in the following proposed areas for translocation of trees
 - *Opposite to the Old and New Guest House, Bangalore University, Bengaluru*
4. The Persons/Agencies who are entrusted with translocation works should have sufficient knowledge and experience in such works.
5. The work of translocation of trees has to be executed under close supervision of Officials/Officers of Forest Wing of BBMP and according to the formulated guidelines of UAS, Bengaluru.
6. The trees so translocated have to be properly maintained and taken care of, for a minimum period of three years.
7. The entire process of translocation of trees has to be properly documented and records compiled in a systematic manner.
8. As per the Section 10 of KPT Act 1976, which provides that where any tree has fallen or destroyed due to force of nature or other natural causes, requires to plant a tree or trees in place of the tree so fallen or destroyed.
9. In lieu of the trees translocated and felled, 10 healthy and heighted saplings have to be planted in lieu of each tree either translocated or felled. The saplings have to be planted as per forestry practices and maintained for a minimum period of five years. Photographs and proper documentation has to be submitted for saplings/seedlings planted.
10. Regular monitoring must be done to ensure the conducive growth of translocated trees and planted saplings/seedlings.



Tree Officer and
Deputy Conservator of Forests
Bruhat Bengaluru Mahanagara Palike,
Bengaluru

Copy to:

1. The Joint General Manager/Projects, Rail Land Development Authority, Bengaluru
2. The Chairman, Tree Authority and Chief Conservator of Forests, Bangalore Circle, Bangalore for kind information
3. The Member Secretary – Tree Expect Committee, and the Assistant Conservator of Forests, BBMP for information and further action.
4. The Assistant Conservator of Forests, BBMP for information and further action
5. The Range Forest Officer/Deputy Range Forest Officers for information and further action
6. Office Copy

Retention of Trees

Application No. : RLDA/Project/Bangalore/Consultancy/Monetization of K-RIDE
Projects/2356 dtd: 28.07.2023

Project Area: Construction of 132 Nos of Railway Quarters at MG Railway Colony Area,
Bengaluru

Sl No.	Tree No	Species Name	Girth (Mtr)	Height (Mtr)	Justification
1	UN 02	Umbrella tree	1.00	8.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
2	UN 03	Arali	3.40	32.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
3	UN 04	Arali	3.85	20.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
4	UN 05	Basavanapada	0.90	6.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
5	UN 06	Nerale	1.00	9.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
6	UN 07	Gulmohar	2.10	11.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
7	UN 08	Arali	1.00	12.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
8	UN 09	Gulmohar	2.10	20.00	The Tree is standing abutting the project area, however not close to the proposed area of construction activities. Hence recommended for retention.
Total trees for Retention = 8 Nos.					



Tree Officer &
Deputy Conservator of Forests
BBMP, Bangalore

Translocation of Trees

Application No. : RLDA/Project/Bangalore/Consultancy/Monetization of K-RIDE Projects/2356
dtd: 28.07.2023

Project Area: Construction of 132 Nos of Railway Quarters at MG Railway Colony Area,
Bengaluru

Sl No.	Tree No	Species Name	Girth (Mtr)	Height (Mtr)	Justification
1.	3	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.48	6.00	The tree is young and healthy and hence recommended for translocation
2.	7	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.35	3.00	The tree is young and healthy and hence recommended for translocation.
3.	8	Mahagony – <i>Swietenia macrophylla</i>	0.22	6.00	The tree is young and healthy and hence recommended for translocation.
4.	9	Mahagony – <i>Swietenia macrophylla</i>	0.17	4.00	The tree is young and healthy and hence recommended for translocation.
5.	10	Kaadu Badami - <i>Terminalia catappa</i>	0.25	3.00	The tree is young and healthy and hence recommended for translocation.
6.	11	Kaadu Badami - <i>Terminalia catappa</i>	0.24	5.00	The tree is young and healthy and hence recommended for translocation.
7.	21	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.28	4.00	The tree is young and healthy and hence recommended for translocation.
8.	22	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.29	4.00	The tree is young and healthy and hence recommended for translocation.
9.	23	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.30	4.00	The tree is young and healthy and hence recommended for translocation.
10.	25	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.43	8.00	The tree is young and healthy and hence recommended for translocation.
11.	26	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.33	5.00	The tree is young and healthy and hence recommended for translocation.
12.	31	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.36	6.00	The tree is young and healthy and hence recommended for translocation.
13.	33	Mahagony - <i>Swietenia macrophylla</i>	0.22	4.00	The tree is young and healthy and hence recommended for translocation.
14.	37	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.21	3.00	The tree is young and healthy and hence recommended for translocation.
15.	38	Mahagony - <i>Swietenia macrophylla</i>	0.28	6.00	The tree is young and healthy and hence recommended for translocation.

16.	40	Mahagony - <i>Swietenia macrophylla</i>	0.23	4.00	The tree is young and healthy and hence recommended for translocation
17.	43	Kaadu Badami - <i>Terminalia catappa</i>	0.44	6.00	The tree is young and healthy and hence recommended for translocation.
18.	44	Mahagony - <i>Swietenia macrophylla</i>	0.27	5.00	The tree is young and healthy and hence recommended for translocation.
19.	48	Honge - <i>Millettia pinnata</i>	0.45	4.00	The tree is young and healthy and hence recommended for translocation
20.	56	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.24	4.00	The tree is young and healthy and hence recommended for translocation
21.	64	Mahagony - <i>Swietenia macrophylla</i>	0.20	3.00	The tree is young and healthy and hence recommended for translocation.
22.	65	Kaadu Badami - <i>Terminalia catappa</i>	0.20	4.00	The tree is young and healthy and hence recommended for translocation.
23.	66	Mahagony - <i>Swietenia macrophylla</i>	0.21	5.00	The tree is young and healthy and hence recommended for translocation.
24.	67	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.28	4.00	The tree is young and healthy and hence recommended for translocation.
25.	68	Kaadu Badami - <i>Terminalia catappa</i>	0.30	6.00	The tree is young and healthy and hence recommended for translocation.
26.	69	Mahagony - <i>Swietenia macrophylla</i>	0.24	6.00	The tree is young and healthy and hence recommended for translocation.
27.	71	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.21	3.00	The tree is young and healthy and hence recommended for translocation
28.	75	Mahagony - <i>Swietenia macrophylla</i>	0.24	4.00	The tree is young and healthy and hence recommended for translocation.
29.	76	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.32	5.00	The tree is young and healthy and hence recommended for translocation.
30.	78	Kaadu Badami - <i>Terminalia catappa</i>	0.28	4.00	The tree is young and healthy and hence recommended for translocation.
31.	79	Mahagony - <i>Swietenia macrophylla</i>	0.23	4.00	The tree is young and healthy and hence recommended for translocation.
32.	80	Mahagony - <i>Swietenia macrophylla</i>	0.31	6.00	The tree is young and healthy and hence recommended for translocation.

33.	85	Mahagony - <i>Swietenia macrophylla</i>	0.20	6.00	The tree is young and healthy and hence recommended for translocation.
34.	95	Honge - <i>Millettia pinnata</i>	0.27	3.00	The tree is young and healthy and hence recommended for translocation
35.	105	Honge - <i>Millettia pinnata</i>	0.20	2.00	The tree is young and healthy and hence recommended for translocation
36.	107	Pink Trumpet Tree- <i>Tabebuia rosea</i>	0.28	4.00	The tree is young and healthy and hence recommended for translocation
37.	109	Mahagony - <i>Swietenia macrophylla</i>	0.21	6.00	The tree is young and healthy and hence recommended for translocation
38.	110	Mahagony - <i>Swietenia macrophylla</i>	0.20	5.00	The tree is young and healthy and hence recommended for translocation
39.	111	Mahagony - <i>Swietenia macrophylla</i>	0.22	6.00	The tree is young and healthy and hence recommended for translocation
40.	113	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.17	3.00	The tree is young and healthy and hence recommended for translocation
41.	115	Honge - <i>Millettia pinnata</i>	0.27	3.00	The tree is young and healthy and hence recommended for translocation
42.	117	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.26	5.00	The tree is young and healthy and hence recommended for translocation
43.	120	Pink Trumpet Tree <i>Tabebuia rosea</i>	0.30	5.00	The tree is young and healthy and hence recommended for translocation
44.	123	Mahagony - <i>Swietenia macrophylla</i>	0.20	4.00	The tree is young and healthy and hence recommended for translocation
45.	125	Mahagony - <i>Swietenia macrophylla</i>	0.19	2.00	The tree is young and healthy and hence recommended for translocation
46.	126	Mahagony - <i>Swietenia macrophylla</i>	0.20	4.00	The tree is young and healthy and hence recommended for translocation
47.	128	Guava - <i>Psidium guajava</i>	0.25	3.00	The tree is young and healthy and hence recommended for translocation
48.	129	Lemon - <i>Citrus limon</i>	0.25	2.00	The tree is young and healthy and hence recommended for translocation

49.	UN01	Aala	0.30	4.00	The tree is healthy standing within the project area earmarked for mass excavation of soil. Hence recommended for translocation.
Total trees for Translocation = 49 Nos.					



Tree Officer &
Deputy Conservator of Forests
BBMP, Bangalore

Felling of Trees

**Application No. : RLDA/Project/Bangalore/Consultancy/Monetization of K-RIDE Projects/2356
dtd: 28.07.2023**

**Project Area: Construction of 132 Nos of Railway Quarters at MG Railway Colony Area,
Bengaluru**

Sl No	Tree No	Species Name	Girth (Mtr)	Height (Mtr)	Justification
1.	1	Guava - <i>Psidium guajava</i>	0.74	3.00	The branches (at 1m ht. from the base) are defective and non- availability of desirable root ball for excavation. The tree is recommended for felling.
2.	2	Guava - <i>Psidium guajava</i>	0.35	3.00	The tree is forked with weak branch union. The tree is recommended for felling.
3.	4	Mango - <i>Mangifera indica</i>	0.96	5.00	The girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in a urban scenario) and hence the tree is recommended for felling.
4.	5	Singapore cherry <i>Muntingia calabura</i>	0.64	6.00	The tree is with knots (probable decay features in a tree) and bent and recommended for felling.
5.	6	Singapore cherry - <i>Muntingia calabura</i>	0.54	6.00	The tree is standing very close to tree no. 5, thereby preventing excavation of desirable root ball. The tree is recommended for felling.
6.	12	Pink trumpet tree- <i>Tabebuia rosea</i>	0.20	3.00	The base of tree or the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
7.	13	Yellow elder - <i>Tecoma stans</i>	0.28	3.00	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
8.	14	Yellow elder - <i>Tecoma stans</i>	0.20	1.50	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
9.	15	Yellow elder - <i>Tecoma stans</i>	0.30	5.00	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
10.	16	Yellow elder - <i>Tecoma stans</i>	0.35	3.00	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.

11.	17	Yellow elder - <i>Tecoma stans</i>	0.30	2.00	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
12.	18	Yellow elder - <i>Tecoma stans</i>	0.28	3.00	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
13.	19	Pink trumpet tree - <i>Tabebuia rosea</i>	0.44	3.00	The base of tree (with coiled / constricted roots) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
14.	20	Yellow elder - <i>Tecoma stans</i>	0.36	3.00	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
15.	24	Coconut - <i>Cocus nucifera</i>	0.80	10.00	The tree is matured (scars of fallen fronds) and girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in an urban scenario) and hence the tree is recommended for felling.
16.	27	Christmas tree - <i>Araucaria columnaris</i>	0.45	4.00	The tree is structurally not straight and decay symptoms are visible. The tree is recommended for felling.
17.	28	Pink trumpet tree - <i>Tabebuia rosea</i>	0.23	3.00	The base of tree / protection zone is infringed by concrete structures. The tree is recommended for felling.
18.	29	Pink trumpet tree <i>Tabebuia rosea</i>	0.48	4.00	The base of tree / protection zone is infringed by concrete structures. The tree is recommended for felling.
19.	30	Yellow elder - <i>Tecoma stans</i>	0.20	2.00	The base of tree (with girdled bark) and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
20.	32	Pink trumpet tree - <i>Tabebuia rosea</i>	0.78	6.00	The girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in a urban scenario) and hence the tree is recommended for felling.
21.	34	Singapore cherry <i>Muntingia calabura</i>	0.44	3.00	The tree is with knots (probable decay features in a tree) and bent and recommended for felling.
22.	35	Pink trumpet tree - <i>Tabebuia rosea</i>	0.35	6.00	The external bark inclusive of the cambial layer is peeled and damaged. The tree is recommended for felling.
23.	36	Kaadu badami - <i>Terminalia catappa</i>	0.70	8.00	The girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in a urban scenario) and hence the tree is recommended for felling.

24.	39	Kaadu badami - <i>Terminalia catappa</i>	0.31	6.00	The base of tree is close to boundary wall with more probability of restricted roots and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
25.	41	Kaadu badami - <i>Terminalia catappa</i>	0.41	5.00	The base of tree is close to boundary wall with more probability of restricted roots and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
26.	42	Pink trumpet tree - <i>Tabebuia rosea</i>	0.23	4.00	The external bark inclusive of the cambial layer is peeled and damaged. The tree is recommended for felling.
27.	45	Kaadu badami – <i>Terminalia catappa</i>	0.44	6.00	The base of tree is close to boundary wall with more probability of restricted roots and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
28.	46	Pink trumpet tree - <i>Tabebuia rosea</i>	0.24	4.00	The tree is partially uprooted and hence recommended for felling.
29.	47	Kaadu badami - <i>Terminalia catappa</i>	0.45	6.00	The base of tree is close to boundary wall with more probability of restricted roots and the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
30.	49	Kaadu badami - <i>Terminalia catappa</i>	0.45	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
31.	50	Kaadu badami - <i>Terminalia catappa</i>	0.54	5.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
32.	51	Singapore cherry - <i>Muntingia calabura</i>	0.48	4.00	The tree is with defective barks and minor knots (probable decay features in a tree) and recommended for felling.
33.	52	Kaadu badami - <i>Terminalia catappa</i>	0.45	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
34.	53	Mango - <i>Mangifera indica</i>	1.52	6.00	The girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in a urban scenario) and hence the tree is recommended for felling.
35.	54	Kaadu badami - <i>Terminalia catappa</i>	0.49	6.00	The tree bark is severely peeled and in consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.

36.	55	Kaadu badami - <i>Terminalia catappa</i>	0.35	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
37.	57	Kaadu badami - <i>Terminalia catappa</i>	0.30	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
38.	58	Kaadu badami - <i>Terminalia catappa</i>	0.40	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
39.	59	Kaadu badami - <i>Terminalia catappa</i>	0.38	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
40.	60	Kaadu badami - <i>Terminalia catappa</i>	0.22	4.00	The tree bark is peeled and in consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
41.	61	Singapore cherry - <i>Muntingia calabura</i>	0.55	4.00	The tree is with defective barks and minor knots (probable decay features in a tree) and recommended for felling.
42.	62	Paper mulberry - <i>Broussonetia papyrifera</i>	0.21	3.00	The tree is standing close to tree no. 63, thereby restricting excavation of appropriate root ball. The tree is recommended for felling.
43.	63	Paper mulberry - <i>Broussonetia papyrifera</i>	0.20	3.00	The tree is standing close to tree no. 62, thereby restricting excavation of appropriate root ball. The tree is recommended for felling.
44.	70	Mango - <i>Mangifera indica</i>	1.88	10.00	The girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in a urban scenario) and hence the tree is recommended for felling.
45.	72	Kaadu badami - <i>Terminalia catappa</i>	0.30	4.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
46.	73	Bevu - <i>Azadirachta indica</i>	0.21	3.00	The tree is showing partial dieback symptoms and therefore recommended for felling.
47.	74	Kaadu badami - <i>Terminalia catappa</i>	0.30	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.

48.	77	Kaadu badami - <i>Terminalia catappa</i>	0.40	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
49.	81	Kaadu badami - <i>Terminalia catappa</i>	0.30	4.00	The tree is bent, barks are peeled and in consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
50.	82	Mahagony – <i>Swietenia macrophylla</i>	0.20	4.00	The bark is damaged and base of tree or the tree protection zone is infringed by concrete structures. The tree is recommended for felling.
51.	83	Kaadu badami - <i>Terminalia catappa</i>	0.29	5.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
52.	84	Kaadu badami - <i>Terminalia catappa</i>	0.20	4.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
53.	86	Kaadu badami - <i>Terminalia catappa</i>	0.38	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
54.	87	Honne - <i>Pterocarpus marsupium</i>	0.38	4.00	The external bark inclusive of the cambial layer is peeled and damaged. The tree is recommended for felling.
55.	88	Kaadu badami - <i>Terminalia catappa</i>	0.45	5.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
56.	89	Kaadu badami - <i>Terminalia catappa</i>	0.40	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
57.	90	Kaadu badami - <i>Terminalia catappa</i>	0.35	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
58.	91	Honge - <i>Millettia pinnata</i>	0.20	2.00	The trunk is severely damaged and the tree is recommended for felling.
59.	92	Honge - <i>Millettia pinnata</i>	0.20	2.00	The tree is bent and the trunk is severely damaged. The tree is recommended for felling.
60.	93	Bevu - <i>Azadirachta indica</i>	0.17	2.00	The tree is showing partial dieback symptoms and therefore recommended for felling.

61.	94	Kaadu badami - <i>Terminalia catappa</i>	0.40	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
62.	96	Kaadu badami - <i>Terminalia catappa</i>	0.40	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
63.	97	Kaadu badami - <i>Terminalia catappa</i>	0.35	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
64.	98	Kaadu badami - <i>Terminalia catappa</i>	0.48	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
65.	99	Kaadu badami - <i>Terminalia catappa</i>	0.27	4.00	The bark is severely damaged and in consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
66.	100	Kaadu badami - <i>Terminalia catappa</i>	0.35	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
67.	101	Honge - <i>Millettia pinnata</i>	0.30	2.00	The tree is uprooted and recommended for felling.
68.	102	Bevu - <i>Azadirachta indica</i>	0.23	3.00	The tree is showing partial dieback symptoms and therefore recommended for felling.
69.	103	Kaadu badami - <i>Terminalia catappa</i>	0.45	8.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
70.	104	Kaadu badami - <i>Terminalia catappa</i>	0.38	8.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
71.	106	Kaadu badami - <i>Terminalia catappa</i>	0.35	6.00	The bark is severely damaged and in consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
72.	108	Honge - <i>Millettia pinnata</i>	0.36	4.00	The bark is severely damaged and the tree is recommended for felling.

73.	112	Mango - <i>Mangifera indica</i>	1.48	8.00	The girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in a urban scenario) and hence the tree is recommended for felling.
74.	114	Gulmohar - <i>Delonix regia</i>	0.80	6.00	The girth size of the tree is not appropriate for excavation of proportionate root ball and relocation (in a urban scenario) and hence the tree is recommended for felling.
75.	116	Bevu - <i>Azadirachta indica</i>	0.18	3.00	The tree is showing partial dieback symptoms and therefore recommended for felling.
76.	118	Pink trumpet tree <i>Tabebuia rosea</i>	0.26	4.00	The bark is severely damaged and the tree is recommended for felling.
77.	119	Kaadu badami - <i>Terminalia catappa</i>	0.35	4.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
78.	121	Kaadu badami - <i>Terminalia catappa</i>	0.48	6.00	In consideration to the species root nature (with probable restricted roots) and tree / site condition, the tree is recommended for felling.
79.	122	Mahagony - <i>Swietenia macrophylla</i>	0.22	6.00	The bark is severely damaged and the tree is recommended for felling.
80.	124	Mahagony - <i>Swietenia macrophylla</i>	0.22	4.00	The tree is uprooted and recommended for felling.
81.	127	Guava - <i>Psidium guajava</i>	0.23	3.00	The tree is topped and recommended for felling.
Total trees for Felling = 81 Nos.					



Tree Officer &
Deputy Conservator of Forests
BBMP, Bangalore

